

Revision Control Record

Rev.	Description of Change	ECN No.	Date
H	NOTE CHANGE	09002	01/14/08

SCREW, 6-32UNC-2A THD, BRASS (3 REQ'D)

INSULATOR, BAKELITE



CASE, STEEL

HEX NUT, STEEL

FACE NUT, BRASS, NICKEL PLT.

(H) BUSHING, 15/32-32 UNS-2A THD, BRASS, NICKEL PLT.

TOGGLE, BRASS, NICKEL PLT



(H) NOTES:

1. ALL STEEL PARTS PLATED
2. SILVER CONTACT SURFACES
3. ALL DIMENSIONS REFERENCE ONLY EXCEPT OTHERWISE NOTED
4. 25AMP @ 12VDC

Tolerances Unless otherwise specifically noted, the following are default tolerances;

2-places $\pm 0.02"$ **3-places** $\pm 0.005"$ **Angular** $\pm 1'$

Metric: Shown in [] refers to equivalent English Dim Tol

"REF." or an Asterisk (*) = Non-Toleranced Reference Dimension, shown for clarification purposes only.

NOTE: All tolerances are Non-Cumulative.

PROPRIETARY INFORMATION

This Engineering Drawing, and the information contained herein, is proprietary to Cole Hersee Company and may not be disclosed, re-produced, or in any other way transferred or communicated to any other party without the express written consent of an authorized representative of Cole Hersee Company.

Special Characteristics:

- (CC) Critical Characteristic, relating to Safety and/or Regulatory Compliance
- (X) Significant Characteristic relating to Process Control
- (KC) Control Dimension relating to Form - Fit - Function as defined by Cole Hersee Company and/or the Customer



Cole Hersee Co.

20 Old Colony Ave., South Boston, MA, 02127
Phn: 617-268-2100 Web: www.colehersee.com

Description:

SPDT TOGGLE SW

Drawing /
Part No.:

5584

Current Rev.

H

FORM CHT-6 (2/07)

Used On
or Ref.:

Scale: 1:1

Drawn
BY: RJS

Date
Drawn: 08/13/54

Pg. 1 of 1