



REVISION		
REV	DATE	DESCRIPTION
A	7/29/22	525497GCP - RELEASE MRY

1							
NO	COMPONENT NO	DESCRIPTION	QTY/M	U/M			
BILL OF MATERIAL							
<S>	CRITICAL CHARACTERISTIC FOR PART SAFETY/COMPLIANCE						
●	DENOTES CRITICAL CHARACTERISTICS.						
CPK	DENOTES CPK DIMENSIONS, -MINIMUM CPK VALUE						
ST	DENOTES A CHARACTERISTIC THAT PROVIDES AN INDICATION OF PROCESS PERFORMANCE. PROCEDURE FOR MEASUREMENT AND TRACKING TO BE DEFINED IN LITTELFUSE INSPECTION INSTRUCTIONS.						
CP	DENOTES CP DIMENSIONS, -MINIMUM CP VALUE MUST BE WITHIN THE DIMENSIONAL LIMITATIONS SHOWN ON DRAWING AND INITIALLY LOCATED TO ALLOW FOR MAXIMUM TOOL LIFE.						
MATL SPEC			FINISH				
DRW Jeff Moler		DATE 7/26/2022	SCALE NTS	FINISH GOOD WT GRAMS/PIECE			
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS, DIMENSIONS IN BRACKETS [] ARE INCHES DIMENSIONING AND DO NOT INCLUDE PLATING. TOLERANCING TO BE INTERPRETED IN ACCORDANCE WITH ANSI Y14.5M-1994							
3RD ANGLE PROJECTION							
TITLE							
LDFJ 1-30A OUTLINE							
Littelfuse [®] CHICAGO, ILLINOIS 60631			REVISION A	DRWG NO. OL-LDFJ030			