







TEST VOLTAGE: 600V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LLSRK & LLSRKID 3.5A - 600A
 <b>LITTELFUSE, INC.</b> CHICAGO, IL. USA		DRAWN BY: LLL DATE: 03/14/2016 REVISION: A
<b>PEAK LET-THRU CHARACTERISTIC CURVES</b>		DRAWING NO.: FCC05-LSRK <span style="float: right;">SHEET 2 OF 6</span>





TEST VOLTAGE: 600V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LLSRK & LLSRKID 3.5A - 600A
		DRAWN BY: LLL
		DATE: 03/14/2016
		REVISION: A
PEAK LET-THRU CHARACTERISTIC CURVES		DRAWING NO.: FCC05-LSRK
		SHEET 3 OF 6




TEST VOLTAGE: 600V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LLSRK & LLSRKID 3.5A - 600A
 <b>LITTELFUSE, INC.</b> CHICAGO, IL. USA		DRAWN BY: LLL DATE: 03/14/2016 REVISION: A
<b>PEAK LET-THRU CHARACTERISTIC CURVES</b>		DRAWING NO.: FCC05-LSRK <span style="float: right;">SHEET 4 OF 6</span>



TEST VOLTAGE: 600V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LLSRK & LLSRKID 3.5A - 600A
 <b>LITTELFUSE, INC.</b> CHICAGO, IL. USA		DRAWN BY: LLL DATE: 03/14/2106 REVISION: A
<b>PEAK LET-THRU CHARACTERISTIC CURVES</b>		DRAWING NO.: FCC05-LSRK SHEET 5 OF 6



TEST VOLTAGE: 600V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LLSRK & LLSRKID 3.5A - 600A
 <b>LITTELFUSE, INC.</b> CHICAGO, IL. USA		DRAWN BY: LLL DATE: 03/14/2016 REVISION: A
<b>PEAK LET-THRU CHARACTERISTIC CURVES</b>		DRAWING NO.: FCC05-LSRK SHEET 6 OF 6