

SD MINI® Series

Fuse Block with LED Indicators



880024



880025



880026

Description

SD MINI® Fuse Blocks provide a cost effective, consolidated circuit protection solution. Designed to accept standard MINI® fuses, these products ensure the safe distribution of power throughout an application. Integrated LED blown fuse indicators allow for quick maintenance, preventing troubleshooting and equipment downtime. These products are RoHS compliant. Fuses sold separately.

Web Resources

Download 2D print, installation guide and technical resources at: littelfuse.com/SD-MINI

Ordering Information

PART NUMBERS	DESCRIPTION	PACKAGING
880024	4 MINI® Fuse Block w/ LED	Bulk
880024-BP	4 MINI® Fuse Block w/ LED Blister Pack	Blister Pack
880025	6 MINI® Fuse Block w/ LED	Bulk
880026	10 MINI® Fuse Block w/ LED	Bulk

Specifications

Current Rating Max:	100A
Current Rating Max Per Circuit:	30A
Fuse Type:	MINI® Blade Fuse
Housing:	PBT
Input Terminals:	10-32 Stud
Mounting Method:	Bolt Down; 4xM5
Number Of Cavities:	4, 6, or 10 Circuits (varies by part number)
Output Terminals:	6.3mm Blade
Recommended Torque:	8 in-lb (0.9Nm) Max.
Temperature:	-20°C to 85°C
Max Voltage Rating:	32V DC

Applications

- Centralized distribution for accessory circuits
- Ideal solution for DIY projects


Features and Benefits

- Centralizes wiring to a convenient location
- Insulating cover provides circuitry protection
- Continuous current rating of 100A

Related Products



SD ATO® Fuse Blocks (Screw Termination)
Designed to accept ATO® fuses.



SD ATO® Fuse Blocks
Designed to accept ATO® fuses.