

REVISION								
REV	DATE	DESCRIPTION						
Α	6/14/22	525323GCP - RELEASE MRY						

## APPROXIMATE SHIPPING WEIGHT: 5 FUSES = 1.7 LB.

1					l l	1			
NO	COMPONEN	IT NO	DESC	CRIPTION	QTY/M	U/M			
	BILL OF MATERIAL								
<\$>		CRITICAL CHARACTERISTIC FOR PART SAFETY/COMPLIANCE							
	•	DENOTES CRITICAL CHARACTERISTICS.							
C	PK	DENOTES CPK DIMENSIONS, -MINIMUM CPK VALUE							
<u>(ST)</u>		DENOTES A CHARACTERISTIC THAT PROVIDES AN INDICATION OF PROCESS PERFORMANCE. PROCEDURE FOR MEASUREMENT AND TRACKING TO BE DEFINED IN LITTELFUSE INSPECTION INSTRUCTIONS.							
(	CP	MUST SHOW	BE WITHIN THE DIM	-MINIMUM CP VALUE ENSIONAL LIMITATIONS INITIALLY LOCATED TO DL LIFE.		В			
MATL SPEC				FINISH					
DRW	<b>I</b> '		DATE	SCALE	FINISH GOOD WT				
Jeff M	oler	er 6/9/2022		NTS	GRAMS/PIEC				

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS, DIMENSIONS IN BRACKETS [ ] ARE INCHES DIMENSIONING AND DO NOT INCLUDE PLATING. TOLERANCING TO BE INTERPRETED IN ACCORDANCE WITH ANSI Y14.5M-1994

3RD ANGLE PROJECTION

TITLE

TLN 70-100A OUTLINE



Δ Δ

DRWG NO. SHEET 1 OF 1

OL-0TLN100