

# Revision Control Record

Rev.	Description of Change	ECN No.	Date
F	PUT ON CAD	11128	04/20/11

TOGGLE, BRS, NICKEL PLATED.



BUSHING: 15-32,  
BRASS, NICKEL PLTD

HEX NUT 15/32-32 (SEE NOTE 1)

BLADE TERMINALS X4,  
SAE J858; TYPE 18  
.250" WIDE (6.35MM)

INSULATION SLEEVE ON  
TOP OR BOTTOM JUMPER.

(F)



DATE CODE

0.13 [3.30]

1.050 [26.67]

(F)

NOTES:

- 1) ONE HEX NUT TO BE SHIPPED LOOSE
- 2) ALL METAL PARTS ARE EITHER ZINC PLATED OR NICKEL PLATED.
- 3) NEOPRENE O-RING SEAL IN BUSHING.
- 4) ALL DIMENSIONS ARE REFERENCE.

Tolerances Unless otherwise specifically noted, the following are default tolerances;

2-places  $\pm 0.02"$  3-places  $\pm 0.005"$  Angular  $\pm 1^\circ$

Metric: Shown in [ ] refers to equivalent English Dim Tol

"REF." or an Asterisk (\*) = Non-Toleranced Reference Dimension, shown for clarification purposes only.

NOTE: All tolerances are Non-Cumulative.

## PROPRIETARY INFORMATION

This Engineering Drawing, and the information contained herein, is proprietary to Cole Hersee Company and may not be disclosed, re-produced, or in any other way transferred or communicated to any other party without the express written consent of an authorized representative of Cole Hersee Company.

## Special Characteristics:



Critical Characteristic, relating to Safety and/or Regulatory Compliance



Significant Characteristic relating to Process Control



Control Dimension relating to Form - Fit - Function as defined by Cole Hersee Company and/or the Customer



**Cole Hersee Co.**

20 Old Colony Ave., South Boston, MA, 02127  
Phn: 617-268-2100 Web: www.colehersee.com

## Description:

**SWITCH, TOGGLE . REVERSING**

Drawing /  
Part No.:

**55046-03**

Current Rev.

**F**