




TEST VOLTAGE: TIME CONSTANT/POWER FACTOR: BASIS FOR DATA:	FUSE CATALOG NUMBER: JLLS 30A - 1200A
LITTELFUSE, INC. CHICAGO, IL. USA	DRAWN BY: LLL DATE: 10/16/2020 REVISION: C
PEAK LET-THRU CHARACTERISTIC CURVES	DRAWING NO.: FCC05-JLLS SHEET 2 OF 4

- DATA GENERATED IN EXCEL -



TEST VOLTAGE: TIME CONSTANT/POWER FACTOR: BASIS FOR DATA:	FUSE CATALOG NUMBER: JLLS 30A - 1200A
LITTELFUSE, INC. CHICAGO, IL. USA	DRAWN BY: LLL DATE: 10/16/2020 REVISION: C
PEAK LET-THRU CHARACTERISTIC CURVES	DRAWING NO.: FCC05-JLLS SHEET 3 OF 4

- DATA GENERATED IN EXCEL -



TEST VOLTAGE: TIME CONSTANT/POWER FACTOR: BASIS FOR DATA:	FUSE CATALOG NUMBER: JLLS 30A - 1200A
LITTELFUSE, INC. CHICAGO, IL. USA	DRAWN BY: LLL DATE: 10/16/2020 REVISION: C
PEAK LET-THRU CHARACTERISTIC CURVES	DRAWING NO.: FCC05-JLLS SHEET 4 OF 4

- DATA GENERATED IN EXCEL -