

TEST VOLTAGE: TIME CONSTANT/POWER FACTOR: BASIS FOR DATA: AB = 15% Power Factor	FUSE CATALOG NUMBER: JTD & JTDID 30A - 600A
LITTELFUSE, INC. CHICAGO, IL. USA	DRAWN BY: LLL DATE: 09/23/2019 REVISION: D
PEAK LET-THRU CHARACTERISTIC CURVES	DRAWING NO.: FCC05-JTD SHEET 2 OF 6

- DATA GENERATED IN EXCEL -



TEST VOLTAGE: TIME CONSTANT/POWER FACTOR: BASIS FOR DATA: AB = 15% Power Factor	FUSE CATALOG NUMBER: JTD & JTDID 35A - 600A
LITTELFUSE, INC. CHICAGO, IL. USA	DRAWN BY: LLL DATE: 09/23/2019 REVISION: D
PEAK LET-THRU CHARACTERISTIC CURVES	DRAWING NO.: FCC05-JTD SHEET 3 OF 6

- DATA GENERATED IN EXCEL -



TEST VOLTAGE: TIME CONSTANT/POWER FACTOR: BASIS FOR DATA: AB = 15% Power Factor	FUSE CATALOG NUMBER: JTD & JTDID 35A - 600A
LITTELFUSE, INC. CHICAGO, IL. USA	DRAWN BY: LLL DATE: 09/23/2019 REVISION: D
PEAK LET-THRU CHARACTERISTIC CURVES	DRAWING NO.: FCC05-JTD SHEET 4 OF 6

- DATA GENERATED IN EXCEL -



TEST VOLTAGE:	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA: AB = 15% Power Factor		JTD & JTDID 30A - 600A

LITTELFUSE, INC. CHICAGO, IL. USA	DRAWN BY: LLL DATE: 09/23/2019 REVISION: D
PEAK LET-THRU CHARACTERISTIC CURVES	DRAWING NO.: FCC05-JTD SHEET 5 OF 6

- DATA GENERATED IN EXCEL -



TEST VOLTAGE: TIME CONSTANT/POWER FACTOR: BASIS FOR DATA: AB = 15% Power Factor	FUSE CATALOG NUMBER: JTD & JTDID 30A - 600A
LITTELFUSE, INC. CHICAGO, IL. USA	DRAWN BY: LLL DATE: 09/23/2019 REVISION: D
PEAK LET-THRU CHARACTERISTIC CURVES	DRAWING NO.: FCC05-JTD SHEET 6 OF 6

- DATA GENERATED IN EXCEL -