





TEST VOLTAGE: 700V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		L70S 10A-800A


	DRAWN BY: LLL	SHEET 2 OF 9
	DATE: 02/10/2015	
PEAK LET-THRU CHARACTERISTIC CURVES	REVISION: A	DRAWING NO.: FCC05-L70S


PEAK LET- THRU IN AMPERES





TEST VOLTAGE: 700V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER: <b>L70S 10A-800A</b>
BASIS FOR DATA:		
		DRAWN BY: LLL
		DATE: 02/10/2015
<b>PEAK LET-THRU CHARACTERISTIC CURVES</b>		REVISION: A
		DRAWING NO.: <b>FCC05-L70S</b> SHEET 3 OF 9





TEST VOLTAGE: 700V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER: <b>L70S 10A-800A</b>
BASIS FOR DATA:		
 <b>LITTELFUSE, INC.</b> CHICAGO, IL. USA		DRAWN BY: LLL
		DATE: 02/10/2015
<b>PEAK LET-THRU CHARACTERISTIC CURVES</b>		REVISION: A
		DRAWING NO.: FCC05-L70S SHEET 4 OF 9





TEST VOLTAGE: 700V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER: <b>L70S 10A-800A</b>
BASIS FOR DATA:		
 <b>LITTELFUSE, INC.</b> CHICAGO, IL. USA		DRAWN BY: LLL
		DATE: 02/10/2015
<b>PEAK LET-THRU CHARACTERISTIC CURVES</b>		REVISION: A
		DRAWING NO.: <b>FCC05-L70S</b> SHEET 5 OF 9





TEST VOLTAGE: 700V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER: <b>L70S 10A-800A</b>
BASIS FOR DATA:		
 <b>LITTELFUSE, INC.</b> CHICAGO, IL. USA		DRAWN BY: LLL
		DATE: 02/10/2015
<b>PEAK LET-THRU CHARACTERISTIC CURVES</b>		REVISION: A
		DRAWING NO.: <b>FCC05-L70S</b> SHEET 6 OF 9




TEST VOLTAGE: 700V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		L70S 10A-800A
 <b>LITTELFUSE, INC.</b> CHICAGO, IL. USA		DRAWN BY: LLL DATE: 02/10/2015 REVISION: A
<b>PEAK LET-THRU CHARACTERISTIC CURVES</b>		DRAWING NO.: FCC05-L70S SHEET 7 OF 9



TEST VOLTAGE: 700V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER: <b>L70S 10A-800A</b>
BASIS FOR DATA:		
 <b>LITTELFUSE, INC.</b> CHICAGO, IL. USA		DRAWN BY: LLL
		DATE: 02/10/2015
<b>PEAK LET-THRU CHARACTERISTIC CURVES</b>		REVISION: A
		DRAWING NO.: <b>FCC05-L70S</b> SHEET 8 OF 9



TEST VOLTAGE: 700V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER: <b>L70S 10A-800A</b>
BASIS FOR DATA:		
 <b>LITTELFUSE, INC.</b> CHICAGO, IL. USA		DRAWN BY: LLL
		DATE: 02/10/2015
<b>PEAK LET-THRU CHARACTERISTIC CURVES</b>		REVISION: A
		DRAWING NO.: <b>FCC05-L70S</b> SHEET 9 OF 9