



TEST VOLTAGE: 600 V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LDC 150A - 2000A


	DRAWN BY: LLL DATE: 06/26/2014 REVISION: A
	DRAWING NO.: FCC01-LDC SHEET 2 OF 12


**TIME CURRENT CHARACTERISTIC CURVES**


FCC01-LDC


- THIS DATA IS GENERATED IN EXCEL -





TEST VOLTAGE: 600 V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LDC 150A - 2000A
		DRAWN BY: LLL
		DATE: 06/26/2014
		REVISION: A
TIME CURRENT CHARACTERISTIC CURVES		DRAWING NO.: SHEET 3 OF 12
		FCC01-LDC





TEST VOLTAGE: 600 V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LDC 150A - 2000A
		DRAWN BY: LLL
		DATE: 06/26/2014
		REVISION: A
TIME CURRENT CHARACTERISTIC CURVES		DRAWING NO.: SHEET 4 OF 12
		FCC01-LDC




TEST VOLTAGE: 600 V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LDC 150A - 2000A
		DRAWN BY: LLL DATE: 06/26/2014 REVISION: A
TIME CURRENT CHARACTERISTIC CURVES		DRAWING NO.: FCC01-LDC SHEET 5 OF 12



TEST VOLTAGE: 600 V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LDC 150A - 2000A
		DRAWN BY: LLL
		DATE: 06/26/2014
		REVISION: A
TIME CURRENT CHARACTERISTIC CURVES		DRAWING NO.: FCC01-LDC SHEET 6 OF 12




TEST VOLTAGE: 600 V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LDC 150A - 2000A


 <b>LITTELFUSE, INC.</b> CHICAGO, IL, USA	DRAWN BY: LLL DATE: 06/26/2014 REVISION: A
	DRAWING NO.: FCC01-LDC SHEET 7 OF 12


**TIME CURRENT CHARACTERISTIC CURVES**


FCC01-LDC

- THIS DATA IS GENERATED IN EXCEL -




TEST VOLTAGE: 600 V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LDC 150A - 2000A
		DRAWN BY: LLL DATE: 06/26/2014 REVISION: A
<b>TIME CURRENT CHARACTERISTIC CURVES</b>		DRAWING NO.: FCC01-LDC SHEET 8 OF 12





TEST VOLTAGE: 600 V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LDC 150A - 2000A
		DRAWN BY: LLL DATE: 06/26/2014 REVISION: A
TIME CURRENT CHARACTERISTIC CURVES		DRAWING NO.: FCC01-LDC SHEET 9 OF 12







TEST VOLTAGE: 600 V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LDC 150A - 2000A


 <b>LITTELFUSE, INC.</b> CHICAGO, IL, USA	DRAWN BY: LLL DATE: 06/26/2014 REVISION: A
	<b>TIME CURRENT CHARACTERISTIC CURVES</b>
DRAWING NO.: FCC01-LDC SHEET 10 OF 12	



TEST VOLTAGE: 600 V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LDC 150A - 2000A
		DRAWN BY: LLL DATE: 06/26/2014 REVISION: A
TIME CURRENT CHARACTERISTIC CURVES		DRAWING NO.: FCC01-LDC SHEET 11 OF 12



TEST VOLTAGE: 600 V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LDC 150A - 2000A

	DRAWN BY: LLL DATE: 06/26/2014 REVISION: A
	DRAWING NO.: FCC01-LDC SHEET 12 OF 12

**TIME CURRENT CHARACTERISTIC CURVES**

**FCC01-LDC**