



XGPU2.E74889 Thermistor-type Devices - Component

Page Bottom

Thermistor-type Devices - Component

See General Information for Thermistor-type Devices - Component

LITTELFUSE INC

E74889

SUITE 500

8755 W HIGGINS RD

CHICAGO, IL 60631 USA

Polymeric PTC Current Limiters, "Polyswitch" series.

Model No.	Voltage (V)		Current (A)				T _{moa} (°C)	Class	CA
	V _{max}	V _r	I _h (mA)	I _t (mA)	I _{max} (A)	I _{sc} (A)			
BBR350	90	—	350	1050	20	20	85	C1	1(125), 2, 4, #
BBR550, BBRF550	99	—	550	1100	20	20	85	C2	1(125), 2, 4, #
BBR750, BBRF750	99	—	750	1500	20	20	85	C2	1(125), 2, 4, #
decaSMDC050/60 (50F60V)	60	—	500	1000	10	10	85	C4	1(125), 2, 3, 4, #
femtoSMDC005F	15	—	50	150	40	40	85	C2	1(125), 2, 3, 4, #
femtoSMDC005F/24	24 V dc	—	50	150	40	40	85	C2	1(65.9), 2, 3, 4, #
femtoSMDC008F	12	—	80	200	40	40	85	C4	1(125), 2, 3, 4, #
femtoSMDC010F/15	15 V dc	—	100	300	40	40	85	C3	1(67.1), 2, 3, 4, #
femtoSMDC008F/15	12 V dc	12 V dc	80	160	40	40	85	C2	1(68.9), 2, 3, 4, #
femtoSMDC010F	12	—	100	250	40	40	85	C3	1(125), 2, 3, 4, #
femtoSMDC012F	9	—	120	300	40	40	85	C4	1(125), 2, 3, 4, #
femtoSMDC016F	9	—	160	400	40	40	85	C4	1(125), 2, 3, 4, #
femtoSMDC020F	9	—	200	450	40	40	85	C2	1(125), 2, 3, 4, #
femtoSMDC035F	6	—	350	3500	40	40	85	C1	1(125), 2, 3, 4, #
femtoSMDC050F	6 V dc	6 V dc	500	1000	40	40	85	C1	1(112.5), 2, 3, 4, #
IRP050R250V	250 V ac	—	240	710	3	3	85	C3	1(125), #
LFS175	15	—	1750	3800	100	100	85	C1	1(125), 2, 4, #
LR4-170F (E17)	15	—	1700	3400	100	100	85	C1	1(125), 2, 4, #

									#
LR4-190 (E19)	15	—	1900	3900	100	100	85	C1	1(125), 2, 4, #
LR4-250	15	—	2500	5200	100	100	85	C1	1(125), 2, 4, #
LR4-260 (E26)	15	—	2600	5800	100	100	85	C1	1(125), 2, 4, #
LR4-310F	12	—	3100	6100	100	100	85	C3	1(125), 2, 4, #
LR4-380 (E38 or R38)	15	—	3800	8300	100	100	85	C1	1(125), 2, 4, #
LR4-450 (E45)	20	—	4500	8900	100	100	85	C1	1(125), 2, 4, #
LR4-470F (E47)	20	—	4700	9400	100	100	85	C1	1(125), 2, 4, #
LR4-550 (E55)	20	—	5500	10500	100	100	85	C1	1(125), 2, 4, #
LR4-600 (E60)	20	—	6000	11700	100	100	85	C1	1(125), 2, 4, #
LR4-600-C100F	20	—	6000	11700	100	100	85	C3	1(125), 2, 4, #
LR4-700(E70)	20	—	7000	12600	100	100	85	C1	1(125), 2, 4, #
LR4-730 (E73)	20	—	7300	14100	100	100	85	C1	1(125), 2, 4, #
LR4-73X (E7X)	20	—	7300	14100	100	100	85	C1	1(125), 2, 4, #
LR4-810HF	20	—	8100	15800	100	100	85	C4	1(125), 2, 4, #
LR4-880 (E88)	20	—	8800	16000	100	100	85	C4	1(125), 2, 4, #
LR4-900 (E90)	20	—	9000	16700	100	100	85	C1	1(125), 2, 4, #
LR4-970	20	—	9700	17700	100	100	85	C3	1(125), 2, 4, #
LR4-970H-C65F	20	—	9700	18000	100	100	82	C1	1(125), 2, 4, #
LR4-1300(EX3)	20	—	13000	21200	100	100	85	C1	1(125), 2, 4, #
LR4-1340	20	—	13400	27300	100	100	85	C2	1(125), 2, 4, #
LR4-1410(E141)	20	—	14100	26200	100	100	85	C1	1(125), 2, 4, #
LR4-1420F	20	—	14200	30000	100	100	85	C1	1(125), 2, 4, #
LTP070 (L07)	15	—	700	1450	100	100	85	C1	1(125), 2, 4, #
LTP100 (L10)	24	—	1000	2500	100	100	85	C1	1(125), 2, 4, #
LTP180 (L18)	24	—	1800	3800	100	100	85	C1	1(125), 2, 4, #
LTP190 (L19)	24	—	1900	4200	100	100	85	C1	1(125), 2, 4, #
LTP260 (L26)	24	—	2600	5200	100	100	85	C1	1(125), 2, 4, #

LTP300 (L30)	24	—	3000	6300	100	100	85	C1	1(125), 2, 4, #
LTP310 (L31)	24	—	3100	6000	100	100	85	C1	1(125), 2, 4, #
LTP340 (L34)	24	—	3400	6800	100	100	85	C1	1(125), 2, 4, #
LVB125	240 V ac	—	1250	2500	12.5	200	85	C3	1(125), 2, 3, 4, #
LVR005	240 V ac/dc	—	50	120	1.0	200	85	C2	1(125), 2, 4, #
LVR005	135 V ac/dc	—	50	120	20	200	85	C2	1(125), 2, 4, #
LVR005N	240 V ac/dc	—	50	120	1.0	200	85	C3	1(125), 2, 4, #
LVR005N	135 V ac/dc	—	50	120	20	200	85	C4	1(125), 2, 4, #
LVR008	240 V ac/dc	—	80	190	1.2	200	85	C4	1(125), 2, 4, #
LVR008	135 V ac/dc	—	80	190	20	200	85	C4	1(125), 2, 4, #
LVR008N	240 V ac/dc	—	80	190	1.2	200	85	C4	1(125), 2, 4, #
LVR008N	135 V ac/dc	—	80	190	20	200	85	C4	1(125), 2, 4, #
LVR010/240	240 V ac	—	100	250	2	200	85	C3	1(125), 2, 4, #
LVR012	240 V ac	—	120	330	2.0	200	85	C3	1(125), 2, 4, #
LVR016	240 V ac	—	160	440	2.0	200	85	C3	1(125), 2, 4, #
LVR025	135 V ac	—	250	560	20	200	85	C3	1(125), #
LVR025	240	—	250	560	3.5	200	85	C3	1(125), #
LVR025/240	240 V ac	—	250	550	6	200	85	C3	1(125), 2, 4, #
LVR033	135 V ac	—	330	740	20	200	85	C3	1(125), #
LVR033	240	—	330	740	4.5	200	85	C3	1(125), #
LVR040	240 V dc/ac	—	400	900	5.5	200	85	C3	1(125), 2, 4, #
LVR040	135 V dc/ac	—	400	900	20	200	85	C3	1(125), 2, 4, #
LVR055	135 V dc/ac	—	550	1250	20	200	85	C1	1(125), #
LVR055	240 V dc/ac	—	550	1250	7	200	85	C1	1(125), #
LVR075	240	—	750	1500	7.5	200	85	C2	1(115), 4, #
LVR100	240	—	1000	2000	10	200	85	C2	1(127), 4, #
LVR125	240	—	1250	2500	12.5	200	85	C2	1(120), 4, #
LVR135	240	—	1350	2700	13.5	200	85	C2	1(125), 4, #
LVR150	240	—	1500	3000	15	200	85	C2	1(125), 4, #
LVR175	240	—	1750	3500	17.5	200	85	C2	1(125), 4, #
LVR200	240	—	2000	4000	20	200	85	C2	1(125), 4, #

LVRL075	135 V ac	—	750	1540	7.5	200	85	C4	1(125), #
LVRL100	135 V ac	—	1000	1900	10	200	85	C4	1(125), #
LVRL125	135 V ac	—	1250	2500	12.5	200	85	C4	1(125), #
LVRL135	135	—	1350	2700	13.5	200	85	C4	1(125), #
LVRL200	135	—	2000	4000	20	200	85	C4	1(125), #
MGP270ZRW	16	—	2700	6500	10	10	70	C4	1(82), 3, 4, #
MGP350	6	—	3500	9000	50	50	70	C4	1(90), 2, 4, #
MGP420	6	—	4200	7900	50	50	70	C4	1(75), 2, 4, #
MGP420K	9	—	4200	8800	50	50	70	C4	1(86), 2, 4, #
MGP420Z	6	—	4200	8800	50	50	70	C4	1(89), 2, 4, #
MGPR420Z	6	—	4200	8800	50	50	70	C4	1(89), 2, 4, #
MGP440ZRW	9	—	4400	13200	30	30	70	C4	1(80), 2, 4, #
MGP500	6	—	5000	9200	50	50	70	C4	1(90), 2, 4, #
PSR-28615	6 V dc	—	4500	9200	50	50	70	C4	1(102.8), 2, 4, #
MGP540ZRW-T01	12, 6	—	5400	15300	30, 50	30, 50	70	C4	1(86), 4, #
MGPC270W	6	—	2700	6500	50	50	70	C3	1(86), 2, 4, #
MGPC290	6	—	2900	8300	50	50	70	C3	1(86), 2, 4, #
MGPC300	6	—	3000	6300	50	50	70	C3	1(95), 2, 4, #
MGPC300K	6	—	3000	6300	50	50	70	C3	1(95), 2, 4, #
MGPC330	6	—	3300	7100	50	50	70	C4	1(80), 2, 4, #
MGPC360	6	—	3000	6300	50	50	70	C2	1(95), 2, 4, #
MGPC300-C315	6	—	3600	9000	57	50	70	C3	1(95), 2, 4, #
MGPC370	6	—	3700	8500	50	50	70	C2	1(95), 2, 4, #
MGPC370K	6	—	3700	8500	50	50	70	C2	1(95), 2, 4, #
MGPC370-C315	6	—	3700	8500	50	50	70	C2	1(95), 2, 4, #
MGPCR370	6	—	3700	10500	50	50	70	C2	1(95), 2, 4, #
MGPR310	6	—	3100	6500	50	50	70	C3	1(70), 2, 4, #
MGPR310ZKDA	6	—	3100	6500	50	50	70	C4	1(91.7), 2, 4, #
MGPR310ZKD	6	—	3100	6500	50	50	70	C4	1(91.7), 2, 4, #
MGPR370	6 V dc	6 V dc	3700	10500	50	50	85	C4	1(108), 2, 4, #
MGPR390	9	—	3900	11700	30	30	70	C4	1(101), 2, 4, #
MGPR400K	6	—	4000	8000	40	40	70	C4	1(89), 2, 4, #
PSR-28700	6 V dc	6 V dc	4000	8000	40	40	70	C4	1(89), 2, 4, #
MGPR550	6	—	5500	15400	40	40	70	C3	1(94), 2, 4, #
MGPW420Z	6	—	4200	8800	50	50	70	C4	1(89), 2, 4, #
MHP30-36-PPTC	36	—	1350	2700	100	100	85	C1	1(120), 4, #
microSMD005 (05)	30	—	50	150	10	10	85	C4	1(125), 2, 3, 4, #
microSMD010 (10)	30	—	100	250	10	10	85	C3	1(125), 2, 3, #

									4, #
microSMD035 (3)	6	—	350	750	40	40	85	C1	1(125), 2, 3, 4, #
microSMD050 (50)	13.2	—	500	1000	40	40	85	C2	1(125), 2, 3, 4, #
microSMD075 (75)	6	—	750	1500	40	40	85	C1	1(125), 2, 3, 4, #
microSMD110 (11)	6	—	1100	2200	40	40	85	C1	1(125), 2, 3, 4, #
microSMD150 (15)	6	—	1500	3000	40	40	85	C2	1(125), 2, 3, 4, #
microSMD175 (17)	6	—	1750	3500	40	40	85	C1	1(125), 2, 3, 4, #
microSMD190LR	6	—	1900	4900	50	50	70	C4	1(120), 2, 3, 4, #
microSMD200F	6	—	2000	4000	100	100	85	C1	1(125), 2, 4, #
microSMD200LR	6	—	2000	5000	50	50	70	C4	1(120), 2, 4, #
microSMD250LR	6	—	2500	5000	50	50	70	C2	1(120), 2, 4, #
microSMD300LR	6	—	3000	6000	50	50	70	C2	1(120), 2, 4, #
microSMD350LR	6	—	3500	8000	50	50	70	C3	1(120), 2, 3, 4, #
microSMD380LR	6	—	3800	8000	50	50	70	C3	1(120), 2, 3, 4, #
microSMD450LR	5	—	4500	9000	50	50	70	C3	1(90), 2, 4, #
miniSMD020 (2)	30	—	200	400	10	10	85	C1	1(125), 2, 3, 4, #
miniSMD075 (7)	13.2	—	750	1500	40	40	85	C1	1(125), 2, 3, 4, #
miniSMD075 (7)	13.2	—	750	1500	40	40	85	C1	1(125), 2, 3, 4, #
miniSMDC010F	60	—	100	300	40	40	85	C2	1(125), 2, 3, 4, #
miniSMDC014 (14)	60	—	140	280	10	10	85	C1	1(125), 2, 3, 4, #
miniSMDC020 (2)	30	—	200	400	10	10	85	C4	1(125), 2, 3, 4, #
miniSMDC030F	30	—	300	600	40	40	85	C4	1(125), 2, 3, 4, #
miniSMDC035 (3)	60	—	350	750	40	40	85	C1	1(125), 2, 3, 4, #
miniSMDC050 (5)	24	—	500	1000	100	100	85	C2	1(125), 2, 3, 4, #
miniSMDC075 (7)	13.2	—	750	1500	100	100	85	C3	1(125), 2, 3, 4, #
miniSMDC075/24	24	—	750	1500	40	40	85	C1	1(125), 2, 3, 4, #
miniASMD075F/24	24	—	750	1500	40	40	85	C1	1(125), 2, 3, 4, #
miniSMDC075F/33	33	—	750	1500	100	100	85	C1	1(95), 2, 3, 4, #

miniSMDC100 (1)	8	—	1100	2200	100	100	85	C3	1(125), 2, 3, 4, #
miniSMDC110 (1)	8	—	1100	2200	100	100	85	C2	1(125), 2, 3, 4, #
miniSMDC110/16	16	—	1100	2200	100	100	85	C1	1(125), 2, 3, 4, #
miniSMDC110/24	24	—	1100	2200	20	20	85	C1	1(125), 2, 3, 4, #
miniSMDC125 (12)	6	—	1250	2500	100	100	85	C2	1(125), 2, 3, 4, #
MiniSMDC125/16(12)	16	—	1250	2500	100	100	85	C1	1(125), 2, 4, #
miniSMDC150 (15)	6	—	1500	3000	100	100	85	C2	1(125), 2, 3, 4, #
miniSMDC150/12	12	—	1500	3000	100	100	85	C1	1(125), 2, 3, 4, #
miniSMDC150F/16	16	—	1500	2800	100	100	85	C4	1(125), 2, 3, 4, #
miniSMDC150/24	24	—	1500	3000	20	20	85	C1	1(125), 2, 3, 4, #
miniSMDC160 (16)	9	—	1600	3200	100	100	85	C1	1(125), 2, 3, 4, #
miniSMDC200 (20)	8	—	2000	4000	100	100	85	C2	1(125), 2, 3, 4, #
miniSMDC200F/16	16	—	2000	4000	70	70	85	C1	1(115), 2, 3, 4, #
miniSMDC260 (26)	6	—	2600	5200	100	100	85	C1	1(125), 2, 4, #
miniSMDC260/12(260)	12	—	2600	5000	100	100	85	C2	1(125), 2, 4, #
miniSMDC260F	6	—	2600	5000	100	100	85	c3	1(125),2,3,4,#
miniSMDC260F/13.2	13.2	—	2600	5000	100	100	85	C3	1(125), 2, 3, 4, #
miniSMDC260F/16	16	—	2600	5000	100	100	85	C3	1(125), 2, 3, 4, #
miniSMDC300F	6	—	3000	6000	100	100	85	C1	1(115), 2, 3, 4, #
miniSMDC190LR	6	—	1900	5380	100	100	70	C1	1(115), 3, 4, #
miniSMDC350LR	6	—	3500	8000	50	50	70	C1	1(115), 3, 4, #
miniSMDE190 (19)	16	—	1900	3800	100	100	85	C1	1(125),2, 4, #
miniSMDM075 (075)	13.2	—	750	1500	40	40	85	C1	1(125), 2, 3, 4, #
miniSMDM075/24 (075G)	24	—	750	1500	40	40	85	C1	1(125), 2, 3, 4, #
miniSMDM110 (110)	8	—	1100	2000	40	40	85	C1	1(125), 2, 3, 4, #
miniSMDM110/16 (110G)	16	—	1100	1950	40	40	85	C1	1(125), 2, 3, 4, #
miniSMDM150/240 (15)	24	—	1500	3000	20	20	85	C3	1(125), 2, 3, 4, #
miniSMDM150/33(150)	33	—	1500	2700	20	20	82	C2	1(125), 2, 3, 4, #

miniSMDM160 (160)	8	—	1600	2800	40	40	85	C1	1(125), 2, 3, 4, #
miniSMDM200 (200)	8	—	2000	3500	40	40	85	C1	1(125), 2, 3, 4, #
miniSMDM260 (26)	6	—	2600	4550	40	40	85	C1	1(125), 2, 3, 4, #
MLP270	6	—	2700	7800	50	50	70	C4	1(95), 4, #
MLP270	12	—	2700	7800	10	10	70	C4	1(95), 4, #
MLP280	6	—	2800	5600	40	40	70	C4	1(78),3,4, #
MLP370	6	—	3700	9600	50	50	70	C3	1(95), 3, 4, #
MLP410	6	—	4100	8200	40	40	70	C4	1(78), 3, 4, #
MLP500	6	—	5000	10000	40	40	70	C2	1(83), 3, 4, #
MLPC270	6	—	2700	6800	50	50	70	C2	1(68), 4, #
MTP270	6	—	2700	6900	50	50	70	C4	1(110), 4, #
MTP290	6	—	2900	8700	50	50	70	C3	1(106), 4, #
MXC400K	6	—	4000	9200	50	50	70	C3	1(88), 3, 4, #
MXP180	6	—	1800	5200	50	50	70	C4	1(50), 3, 4, #
PSR-28577	6	—	1800	5200	50	50	70	C4	1(50), 3, 4, #
MXP190	6	—	1900	4900	50	50	70	C4	1(50), 3, 4, #
MXP250K	6	—	2500	6200	50	50	70	C4	1(103), 2, 4, #
PSR-28384-250	6 V dc	6 V dc	2500	6200	50	50	70	C4	C4 1(103), 2, 4, #
MXPR250	6	—	2500	6200	50	50	70	C4	1(103), 2, 4, #
MXPW250	6	—	2500	6200	50	50	70	C4	1(103), 2, 4, #
MXP270	6	—	2700	6200	50	50	70	C4	1(103), 2, 4, #
MXP270ZL	6	—	2700	6200	50	50	70	C3	1(100), 3, 4, #
MXP270ZLL	6	—	2700	6200	50	50	70	C3	1(100), 3, 4, #
MXP270ZW	6	—	2700	6200	50	50	70	C3	1(100), 3, 4, #
MXP310	6	—	3100	9000	50	50	70	C2	1(70),2,4,#
MXP310K	6	—	3100	6500	50	50	70	C3	1(91), 2, 4, #
MXPR310	6	—	3100	6500	50	50	70	C3	1(81), 2, 4, #
MXPW310	6	—	3100	6500	50	50	70	C3	1(81), 2, 4, #
MXP350	6	—	3500	8100	50	50	70	C4	1(100), 3, 4, #
MXP350K	6	—	3500	9000	50	50	70	C3	1(75), 3, 4, #
PSR-28575	6	—	3500	9000	50	50	70	C3	1(75), 3, 4, #
MXP370	6	—	3700	9000	50	50	70	C2	1(104), 4, #
MXP370BL	6	—	3700	9000	50	50	70	C2	1(104), 4, #
MXP370ZRW	6	—	3700	9600	40	40	70	C3	1(91), 4, #
PSR-28720	6	—	3700	9600	40	40	70	C3	1(91), 4, #

nanoSMD175LR	6	—	1750	4500	50	50	70	C1	1(70), 4, #
nanoSMD200LR	6	—	2000	9500	50	50	70	C4	1(70), 4, #
nanoSMD270LR	6	—	2700	6300	50	50	70	C3	1(70), 2, 3, 4, #
nanoSMDC175LR	6	—	1750	3500	50	50	70	C3	1(110), 2, 4, #
nanoSMDC200LR	6	—	2000	5000	50	50	70	C4	1(110), 2, 3, 4, #
nanoSMDC300LR	6	—	3000	6000	50	50	70	C4	1(110), 2, 3, 4, #
nanoSMD350LR	6	—	3500	6300	50	50	70	C4	1(70), 4, #
nanoSMD380LR	6	—	3800	8000	50	50	70	C4	1(70), 2, 4, #
nanoSMD500LR	6	—	5000	10000	50	50	70	C3	1(70), 2, 4, #
PSR-28786	6 V dc	6 V dc	5000	10000	50	50	70	C3	1(92.0), 2, 4, #
PSR-28690	6 V dc	6 V dc	6 V dc	2000	50	50	70	C3	1(85.3), 2, 4, #
PSR-28683	6	—	5000	10000	50	50	70	C3	1(70), 4, #
PSR-28456	6	—	4500	10000	50	50	70	C3	1(70), 4, #
nanoSMDC012	48	—	120	300	10	10	85	C3	1(125), 2, 3, 4, #
nanoSMDC016	48	—	160	400	10	10	85	C3	1(125), 2, 3, 4, #
nanoSMDC020(02)	24	—	200	420	100	100	85	C4	1(125), 2, 4, #
nanoSMDC025F	16	—	250	580	100	100	85	C4	1(125), 2, 4, #
nanoSMDC035	16	—	350	750	20	20	85	C4	1(125), 2, 3, 4, #
nanoSMDC035F	16	—	350	750	20	20	85	C4	1(125), 2, 3, 4, #
nanoSMDC050/13.2(M)	13.2	—	500	1100	100	100	85	C3	1(125), 2, 3, 4, #
nanoSMDC075(L)	6	—	750	1500	100	100	85	C2	1(125), 2, 3, 4, #
nanoSMDC075F	6	—	750	1500	100	100	85	C4	1(125), 2, 3, 4, #
nanoSMDC100(k)	6	—	1100	2200	100	100	85	C1	1(125), 2, 3, 4, #
nanoSMDC110	6.0	—	1100	2200	100.00	100	85	C2	1(125), 2, 3, 4, #
nanoSMDC110F	6.0	—	1100	2200	100.00	100	85	C2	1(125), 2, 3, 4, #
nanoSMDC110F/8	8.0 V dc	—	1100	2200	100.00	100	85	C2	1(88.8), 2, 3, 4, #
nanoSMDC125(P)	6	—	1250	2500	100	100	85	C2	1(125), 2, 3, 4, #
nanoSMDC150	6	—	1500	3000	100	100	85	C1	1(125), 2, 3, 4, #
nanoSMDC160	6	—	1600	3200	100	100	85	C1	1(125), 2, 3, 4, #
nanoSMDC200	6	—	2000	4000	100	100	85	C1	1(125), 2, 3, 4, #

nanoSMDCH110F	6	—	1100	2200	40	40	125	C2	1(125), 2, 3, 4, #
nanoSMDM012(012)	30	—	125	290	10	10	85	C3	1(125), 2, 3, 4, #
nanoSMDM016	30.0	—	160	370	10	10	85	C3	—
nanoSMDM020(02F)	24	—	200	460	10	10	85	C1	1(125), 2, 3, 4, #
nanoSMDM050 (C)	6	—	500	1000	40	40	85	C1	1(125), 2, 4, #
nanoSMDM050/13.2(5FG)	13.2	—	500	1000	40	40	85	C3	1(125), 2, 4, #
nanoSMDM075 (E)	6	—	750	1500	40	40	85	C1	1(125), 2, 4, #
nanoSMDM100 (G)	6	—	1000	1800	40	40	85	C3	1(125), 2, 3, 4, #
picoSMD010F	15	—	100	300	100	100	85	C2	1(125), 2, 3, 4, #
picoSMD012F	15	—	120	300	100	100	85	C2	1(125), 2, 3, 4, #
picoSMD020F	9	—	200	450	15	15	85	C3	1(125), 2, 3, 4, #
picoSMDC010S	15	—	100	300	100	100	85	C2	1(110), 2, 3, 4, #
picoSMDC012S	15	—	120	300	100	100	85	C4	1(110), 2, 3, 4, #
picoSMDC020S	9	—	200	470	100	100	85	C3	1(110), 2, 3, 4, #
picoSMDC035S	6	—	350	750	100	100	85	C3	1(115), 2, 3, 4, #
picoSMDC050S	6	—	500	1000	100	100	85	C1	1(110), 2, 4, #
picoSMDC110S	6	—	1100	2100	40	40	85	C2	1(110), 2, 3, 4, #
picoSMD050F	6	—	500	1100	100	100	85	C1	1(125), 2, 3, 4, #
picoSMD075F	6	—	750	1500	100	100	85	C1	1(125), 2, 3, 4, #
picoSMDC075S	6	—	750	1500	40	40	85	C3	1(85), 2, 3, 4, #
picoSMD110F	6	—	1100	2000	40	40	85	C2	1(125), 2, 3, 4, #
PSR-20729	15	—	240	510	100	100	85	C1	1(125), 2, 4, #
PSR21083A (1083)	40	—	180	270	2	2	85	C1	1(125), 2, 3, 4, #
PSR21083B (1083)	40	—	180	270	2	2	85	C1	1(125), 2, 3, 4, #
PSR-21436	15	—	—	—	40	40	85	C1	1(125), 2, 4, #
PSR-21436C	15	—	—	—	40	40	85	C4	1(125), 2, 4, #
PSR-21436C-HT	15	—	180	3700	40	40	85	C1	1(125), 2, 4, #
PSR-21436HL	12	—	500	—	40	40	85	C1	1(125), 2, 4, #

PSR-21616	18	—	380	690	100	100	85	C1	1(125), 2, 4, #
PSR-21618	18	—	450	810	100	100	85	C1	1(125), 2, 4, #
PSR-22240	15	—	—	—	40	40	85	C1	1(125), 2, 4, #
PSR-22240HL	12	—	1000	—	40	40	85	C1	1(125), 2, 4, #
PSR-22748	15	—	—	12200	50	50	85	C1	1(125), 2, 4, #
PSR-22778	15	—	—	—	50	50	85	C2	1(125), 2, 4, #
PSR-23020	15	—	1100	3100	50	50	85	C4	1(125), 2, 4, #
PSR-23089	15	—	1200	3700	40	40	85	C1	1(125), 2, 4, #
PSR23198	60	—	160	640	3	3	85	C1	1(125), 2, 4, #
PSR23200	60	—	180	540	10	10	85	C1	1(125), 2, 4, #
PSR23257 (3257)	15	—	1350	3400	40	40	85	C1	1(125), 2, 4, #
PSR23258 (3258)	30	—	3000	6000	40	40	85	C1	1(125), 2, 4, #
PSR23310	15	—	1700	3700	50	50	85	C1	1(125), 2, 4, #
PSR23349 (7)	20	—	750	1500	40	40	85	C1	1(125), 2, 3, 4, #
PSR23382	60	—	140	560	3	3	85	C1	1(125), 2, 4, #
PSR-23476	15	—	—	—	40	40	85	C1	1(125), 2, 4, #
PSR23494 (5)	20	—	500	1000	40	40	85	C1	1(125), 2, 3, 4, #
PSR23528	60	—	80	240	3	3	85	C1	1(125), 2, 4, #
PSR23664 (3664)	42	—	1850	3700	40	40	85	C1	1(125), 2, 4, #
PSR23686	60	—	180	540	10	10	85	C1	1(125), 2, 4, #
PSR-23753	14	—	1000	—	40	40	85	C1	1(125), 2, 4, #
PSR23836 (3836)	16	—	3000	5000	100	100	85	C1	1(125), 2, 4, #
PSR23838 (1)	6	—	1100	2200	40	40	85	C1	1(125), 2, 3, 4, #
PSR23861 (3861)	60	—	200	400	40	40	85	C1	1(125), 2, 3, 4, #
PSR-23872	15	—	1100	2900	40	40	85	C1	1(125), 2, 4, #
PSR-23873	15	—	1300	3300	40	40	85	C1	1(125), 2, 4, #
PSR-23897	15	—	1500	4000	40	40	85	C2	1(125), 2, 4, #

PSR-23925	15	—	19000	3900	40	40	85	C1	1(125), 2, 4, #
PSR23935	60	—	160	640	3	3	85	C1	1(125), 2, 4, #
PSR-24052	9	—	1700	4400	40	40	85	C1	1(125), 4, #
PSR24062	60	—	130	260	3	3	85	C1	1(125), 2, 4, #
PSR24063 (7)	13.2	—	750	1500	40	40	85	C1	1(125), 2, 3, 4, #
PSR24122	60	—	160	400	3	3	85	C1	1(125), 2, 4, #
PSR-24157	15	—	2300	7200	40	40	85	C4	1(125), 2, 4, #
PSR24181 (R120)	15	—	1200	2000	40	40	85	C1	1(125), 2, 4, #
PSR-24184	24	—	1800	3800	100	100	85	C1	1(125), 2, 4, #
PSR-24248	15	—	1500	3800	40	40	85	C2	1(125), 2, 4, #
PSR24251 (4251)	16	—	2500	4700	100	100	85	C1	1(125), 2, 4, #
PSR-24274	15	—	500	1900	100	100	85	C1	1(125), 2, 4, #
PSR-24297	15	—	1300	4100	40	40	85	C1	1(125), 2, 4, #
PSR-24298	15	—	1200	3700	40	40	85	C1	1(125), 2, 4, #
PSR-24360	15	—	2000	4500	40	40	85	C1	1(125), 2, 4, #
PSR-24360-R4D	15	—	2400	5900	40	40	85	C1	1(125), 2, 4, #
PSR-24361	15	—	1500	3600	40	40	85	C1	1(125), 2, 4, #
PSR-24362	15	—	2200	4900	40	40	85	C1	1(125), 2, 4, #
PSR-24380(X27)	6	—	2700	6500	83	100	85	C1	1(125), 2, 4, #
PSR24432 (1)	6	—	1100	2200	40	40	85	C1	1(125), 2, 3, 4, #
PSR-24466	15	—	2800	6400	40	40	85	C1	1(125), 2, 4, #
PSR-24466	15	—	2800	6400	40	40	85	C1	1(125), 2, 4, #
PSR-24492	15	—	1900	4400	40	40	85	C1	1(125), 2, 4, #
PSR-24501	15	—	2200	4900	40	40	85	C1	1(125), 2, 4, #
PSR-24515	60	—	160	640	3	3	85	C1	1(125), 2, 4, #
PSR-24526	15	—	1800	4200	100	100	85	C1	1(125), 2, 4, #
PSR-24534	6	—	2700	6500	83	100	85	C1	1(125), 2, 4, #
PSR-24535	15	—	2500	6300	40	40	85	C1	1(125), 2, 4, #

PSR-24535	15	—	2500	6300	40	40	85	C1	1(125), 2, 4, #
PSR-24561	15	—	2200	4900	40	40	85	C1	1(125), 2, 4, #
PSR24566	120 V ac	—	130	260	10	200	85	C2	1(125), 2, 4, #
PSR24567	120 V ac	—	120	330	10	200	85	C2	1(125), 2, 4, #
PSR24567	135 V ac	—	550	1250	7.0	200.0	85	C1	1(125), #
PSR24567	135	—	550	1250	7.0	200.0	85	C1	1(125), #
PSR24567	240 V ac	—	550	1250	20	200.0	85	C1	1(125), #
PSR24567	240	—	550	1250	20	200.0	85	C1	1(125), #
PSR24659 (S05)	6	—	500	1250	20	20	85	C1	1(125), 2, 4, #
PSR24660 (S07)	6	—	750	1500	20	20	85	C1	1(125), 2, 4, #
PSR24661 (S10)	6	—	1000	1800	20	20	85	C3	1(125), 2, 3, 4, #
PSR24669(16)	6	—	1600	3200	50	100	85	C1	1(125), 2, 3, 4, #
PSR24673	60	—	1500	600	3	3	85	C1	1(125), 2, 4, #
PSR24690	250 V	—	250	1000	3	3	85	C2	1(125), 2, 4, #
PSR-24693 (693)	12	—	2500	5200	83	100	85	C2	1(125), 2, 4, #
PSR24733	15	—	1600	3700	40	40	85	C1	1(125), 2, 4, #
PSR-24734	15	—	2200	5200	40	40	85	C1	1(125), 2, 4, #
PSR-24734C	15	—	2200	5200	40	40	85	C1	1(120), 2, 4, #
PSR24760	120 V ac	—	120	300	2	200	85	C4	1(125), 2, 4, #
PSR-24770	15	—	2200	5000	40	40	85	C1	1(125), 2, 4, #
PSR24782	120 V ac	—	100	250	2	200	85	C3	1(125), 2, 4, #
PSR-24849	15	—	2100	4400	40	40	85	C1	1(125), 2, 4, #
PSR-24881	16	—	1900	4400	100	100	85	C1	1(125), 2, 4, #
PSR24883	60	—	160	600	3	3	85	C1	1(125), 2, 4, #
PSR24907	24	—	1500	2700	20	20	85	C3	1(125), 2, 3, 4, #
PSR25002	15	—	2800	6800	40	40	85	C1	1(125), 2, 4, #
PSR25009	60	—	120	500	3	3	85	C3	1(*125), 2, 4, #
PSR25022 (5022)	16	—	2500	4250	100	100	85	C1	1(125), 2, 4, #
PSR-25028	15	—	2600	6200	40	40	85	C1	1(125), 2, 4, #

PSR-25036	16	—	2100	4700	100	100	85	C1	1(125), 2, 4, #
PSR25039 (5039)	16	—	11000	187000	100	100	85	C1	1(125), 2, 4, #
PSR-25080	16	—	2000	4700	100	100	85	C3	1(125), 2, 3, 4, #
PSR-25091(091)	32/16	—	2100	4700	5/100	5/100	85	C3	1(125), 2, 4, #
PSR25105	60	—	170	640	10	10	85	C4	1(125), 2, 4, #
PSR25115	60	—	150	500	3	3	85	C2	1(125), 2, 4, #
PSR25115	60	—	150	500	3	3	85	C2	1(125), 2, 4, #
PSR-25129	16	—	1500	3200	100	100	85	C2	1(125), 2, 4, #
PSR-25280	15	—	2700	6800	40	40	85	C1	1(125), 2, 4, #
PSR-25330	16	—	1500	3200	100	100	85	C1	1(125), 2, 4, #
PSR-25337	15	—	2500	6100	40	40	85	C1	1(125), 2, 4, #
PSR25338	100	—	180	640	10	10	85	C4	1(125), 2, 4, #
PSR25351	99	—	550	1400	20	20	85	C2	1(125), 2, 4, #
PSR-25365	12	—	1700	4100	100	100	85	C4	1(125), 2, 4, #
PSR25374	5	—	1900	4500	40	40	85	C2	1(125), 2, 4, #
PSR-25393	15	—	2800	7200	40	40	85	C1	1(125), 2, 4, #
PSR-28714	15	—	2800	7200	40	40	85	C1	1(121.2), 2, 4, #
PSR-25398	15	—	2000	4900	40	40	85	C1	1(125), 2, 4, #
PSR-25452	15	—	2400	5900	40	40	85	C3	1(125), 2, 4, #
PSR-25461	5	—	1300	3000	40	40	85	C1	1(125), 2, 4, #
PSR-25468	16	—	1400	3200	100	100	85	C2	1(125), 2, 4, #
PSR25571	60	—	120	240	3	3	85	C1	1(125), 2, 4, #
PSR25579	12	—	1700	4100	100	100	85	C4	1(125), 2, 4, #
PSR25593	30	—	1100	2200	40	40	85	C1	1(125), 2, 4, #
PSR25594	30	—	1350	2700	40	40	85	C1	1(125), 2, 4, #
PSR25595	30	—	1850	3700	40	40	85	C1	1(125), 2, 4, #
PSR25600	100	—	180	640	10	10	85	C4	1(125), 2, 4, #

PSR25600H2	100	—	184	650	3	3	85	C1	1(125), 2, 4, #
PSR25600Z1U	100	—	183	685	10	10	85	C2	1(125), 2, 4, #
PSR25648	60	—	120	240	3	3	85	C1	1(125), 2, 4, #
PSR-25608	16	—	1500	3200	100	100	85	C1	1(125), 2, 4, #
PSR-25632	16	—	1200	2800	100	100	85	C2	1(125), 2, 4, #
PSR25672	15	—	1900	4800	40	40	85	C1	1(125), 2, 4, #
PSR25673	15	—	2200	5300	40	40	85	C1	1(125), 2, 4, #
PSR-25680	15	—	1500	4300	40	40	85	C1	1(125), 2, 4, #
PSR-25708	16	—	1800	3900	100	100	85	C3	1(125), 2, 4, #
PSR25710 (5710)	30	—	500	920	40	40	125	C1	1(125), 2, 4, #
PSR25750	16	—	1750	3900	60	60	85	C4	1(125), 2, 4, #
PSR25751	250	—	150	600	3	3	85	C2	1(125), 2, 4, #
PSR-25757	12	—	1500	4300	100	100	85	C4	1(125), 2, 4, #
PSR-25846	16	—	1800	4100	60	60	85	C4	1(125), 2, 3, 4, #
PSR-25857A	12	—	1750	4200	100	100	85	C1	1(125), 2, 4, #
PSR-25846	16	—	1800	4100	60	60	85	C4	1(125), 2, 4, #
PSR-25957	15	—	2300	5500	40	40	85	C2	1(125), 2, 4, #
PSR-25968	15	—	2600	6700	40	40	85	C1	1(125), 2, 4, #
PSR25982	13.2	—	500	1100	100	100	82	C3	1(125), 2, 4, #
PSR-26039	15	—	2900	7700	40	40	85	C1	1(125), 2, 4, #
PSR-26053	16	—	1750	3600	100	100	85	C2	1(125), 2, 4, #
PSR-26155	16	—	1500	3600	60	60	85	C4	1(125), 2, 4, #
PSR-26194	12	—	1500	4300	100	100	85	C4	1(125), 2, 4, #
PSR-26476	15	—	2200	5200	40	40	85	C1	1(125), 2, 4, #
PSR-26498	15	—	1500	3700	40	40	85	C1	1(125), 2, 4, #
PSR26503	60	—	130	325	3	3	85	C1	1(125), 2, 4, #
PSR-26558	12	—	1500	4300	100	100	85	C4	1(125), 2, 4, #
PSR-26627	12	—	1750	4200	100	100	85	C1	1(125), 2, 4, #

									#
PSR-26647	15	—	1750	3800	100	100	85	C1	1(125), 2, 4, #
PSR-26653	60	—	160	1600	3	3	85	C2	1(100), 2, 4, #
PSR-26658	12	—	1900	4700	60	60	85	C1	1(125), 2, 3, 4, #
PSR-26661	16	—	1200	2800	100	100	85	C2	1(125), 2, 4, #
PSR-26695	12	—	1500	4300	100	100	85	C4	1(125), 2, 4, #
PSR-26696	12	—	1500	4300	100	100	85	C4	1(125), 2, 4, #
PSR-26715	15	—	3000	7900	40	40	85	C1	1(125), 2, 4, #
PSR26719	60	—	150	300	3	3	85	C2	1(125), 2, 4, #
PSR26720	60	—	150	350	3	3	85	C2	1(125), 2, 4, #
PSR-26790	16	—	2700	6500	60	60	85	C3	1(125), 2, 4, #
PSR-26791	12	—	1500	4300	100	100	85	C4	1(125), 2, 4, #
PSR-26821	12	—	1750	3900	60	60	85	C1	1(125), 2, 4, #
PSR-26822	20	—	9000	16700	100	100	85	C2	1(125), 2, 4, #
PSR-26843	16	—	1700	13900	60	60	85	C4	1(125), 2, 4, #
PSR-26846	6	—	3600	9000	50	50	70	C4	1(100), 3, 4, #
PSR-26904	15	—	2200	5400	40	40	85	C1	1(125), 2, 4, #
PSR-26932	12	—	1900	4700	60	60	85	C1	1(125), 2, 3, 4, #
PSR-26933	15	—	2600	6200	40	40	85	C1	1(125), 2, 4, #
PSR-26941	16	—	1650	3400	100	100	85	C2	1(125), 2, 4, #
PSR-27153	12	—	1500	4300	100	100	85	C4	1(125), 2, 4, #
PSR-27186	250	—	150	300	3	3	85	C2	1(125), 2, 3, 4, #
PSR-27294	12	—	1500	4300	100	100	85	C4	1(125), 2, 4, #
PSR-27313-010	15	—	100	300	100	100	85	C1	1(125), 2, 3, 4, #
PSR-27313-012	15	—	120	300	100	100	85	C4	1(125), 2, 3, 4, #
PSR-27313-020	9	—	200	450	100	100	85	C2	1(125), 2, 3, 4, #
PSR-27313-035	6	—	350	750	100	100	85	C1	1(125), 2, 3, 4, #
PSR-27313-050	6	—	500	1000	40	40	85	C2	1(115), 2, 3, 4, #

PSR-27313-110	6	—	11000	2000	40	40	85	C1	1(125), 2, 3, 4, #
PSR-27623-020	9	—	200	450	100	100	85	C2	1(125), 2, 3, 4, #
PSR-27623-025	6	—	250	650	100	100	85	C2	1(115), 2, 3, 4, #
PSR-27623-050	6	—	500	1000	100	100	85	C2	1(125), 2, 3, 4, #
PSR-27561	6	—	1900	4900	50	50	70	C4	1(50), 2, 4, #
PSR-27617	6	—	2900	8700	50	50	70	C3	1(106), 2, 4, #
PSR-27627	16	—	1800	4100	60	60	85	C4	1(105), 2, 4, #
PSR-27635	15	—	2700	6800	40	40	85	C1	1(125), 2, 3, 4, #
PSR-27669	15	—	2600	6700	40	40	85	C1	1(125), 2, 3, 4, #
PSR-27673	16	—	2700	6500	60	60	85	C4	1(125), 2, 3, 4, #
PSR-27674	6	—	3000	7500	50	50	70	C4	1(95), 2, 4, #
PSR-27678	15	—	2700	6300	40	40	85	C1	1(125), 2, 4, #
PSR-27679	15	—	2600	5800	100	100	85	C1	1(125), 2, 3, 4, #
PSR-27721	15	—	2800	7200	40	40	85	C1	1(125), 2, 4, #
PSR-27727	15	—	2900	7000	40	40	85	C1	1(125), 2, 4, #
PSR-27774	6	—	3000	7200	50	50	70	C4	1(95), 2, 4, #
PSR-27808	6	—	1900	4900	50	50	70	C4	1(50), 2, 4, #
PSR-27829	60	—	140	280	10	10	85	C1	1(125), 2, 3, 4, #
PSR-27830	24	—	500	1000	100	100	85	C2	1(125), 2, 3, 4, #
PSR-27831	24	—	750	1500	40	40	85	C1	1(125), 2, 3, 4, #
PSR-27832	16	—	1100	2200	100	100	85	C1	1(125), 2, 3, 4, #
PSR-27833	24	—	1500	3000	20	20	85	C1	1(125), 2, 3, 4, #
PSR-27867 (TE16-090)	16	—	900	1950	40	40	85	C1	1(88.6), 2, 4, #
PSR-27868 (TE16-110)	16	—	1100	2200	40	40	85	C1	1(88.6), 2, 4, #
PSR-27867 (TE16-135)	16	—	13500	2700	40	40	85	C1	1(107.1), 2, 4, #
PSR-27871	15	—	3000	7900	40	40	85	C1	1(125), 2, 4, #
PSR-27888	6	—	3700	9000	50	50	70	C2	1(104), 2, 4, #
PSR-27905 (TE16-075)	16	—	750	1700	40	40	85	C1	1(88.6), 2, 4, #
PSR-27906 (TE16-160)	16	—	1600	3200	40	40	85	C1	1(107.1), 2, 4, #

PSR-27907 (TE16-185)	16	—	1850	3700	40	40	85	C1	1(107.1), 2, 4, #
PSR-27974	15	—	3000	7500	40	40	85	C1	1(110), 2, 4, #
PSR-28016	15	—	2800	5500	40	40	85	C1	1(125), 2, 4, #
PSR-28048	6	—	3700	9000	50	50	70	C4	1(88), 2, 4, #
PSR-28108	6	—	3500	8000	50	50	70	C4	1(115), 2, 3, 4, #
PSR-28110	6	—	3500	6300	50	50	70	C4	1(95), 2, 3, 4, #
PSR-28120	6	—	4000	8000	50	50	70	C4	1(110), 2, 3, 4, #
PSR-28679	6	—	3800	8000	50	50	70	C4	1(110), 2, 3, 4, #
PSR-28680	6	—	4000	8000	50	50	70	C4	1(110), 2, 3, 4, #
PSR-28735	6	—	3700	8000	50	50	70	C4	1(110), 2, 3, 4, #
PSR-28473	6	—	4000	8000	50	50	70	C4	1(110), 2, 3, 4, #
PSR-28124	6	—	1900	4900	50	50	70	C4	1(50), 2, 4, #
PSR-28127 (TE16-050)	16	—	500	1000	40	40	85	C1	1(88.6), 2, 4, #
PSR-28148 (TE16-250)	16	—	2500	5000	15	15	85	C1	1(107.1), 2, 4, #
PSR-28149 (TE16-300)	16	—	3000	6000	15	15	85	C1	1(107.1), 2, 4, #
PSR-28155	9	—	4200	8800	50	50	70	C4	1(86), 2, 4, #
PSR-28214	6	—	3900	9000	50	50	70	C3	1(104), 2, 4, #
PSR-28217	6	—	4000	8000	40	40	70	C4	1(89), 2, 4, #
PSR-28228	6	—	4200	7900	50	50	70	C4	1(75), 2, 4, #
PSR-28243	6	—	2700	6300	50	50	70	C4	1(70), 2, 3, 4, #
PSR-28253	15	—	2100	5300	40	40	85	C2	1(125), 2, 4, #
PSR-28275	8	—	2000	4000	100	100	85	C2	1(125), 2, 3, 4, #
PSR-28287	15	—	2200	5200	40	40	85	C1	1(125), 2, 4, #
PSR-28308	15	—	2900	8000	40	40	85	C1	1(125), 2, 4, #
PSR-28293	6	—	2700	6300	50	50	70	C3	1(70), 2, 3, 4, #
PSR-28299	6	—	4200	7900	50	50	70	C4	1(75), 2, 4, #
PSR-28311	9	—	5000	9200	50	50	70	C4	1(86), 2, 4, #
PSR-28321	6	—	3700	9000	50	50	70	C2	1(104), 2, 4, #
PSR-28339	9	—	4200	8800	50	50	70	C4	1(86), 2, 4, #
PSR-28343	24	—	1100	2200	20	20	85	C1	1(125), 2, 4, #

PSR-28401 (TE16-025)	16	—	250	500	40	40	85	C1	1(85.8), 2, 4, #
PSR-28429(Report Date: 2005-03-11)	6	—	4000	8000	50	50	70	C4	1(110), 2, 4, #
PSR-28435 (TE16-040)	16	—	400	800	40	40	85	C1	1(88.6), 2, 4, #
PSR-28436 (TE16-065)	16	—	650	1300	40	40	85	C1	1(88.6), 2, 4, #
PSR-28443	6	—	3500	6300	50	50	70	C4	1(70),2, 3, 4, #
PSR-28445	6	—	4000	9000	50	50	70	C3	1(70), 2, 4, #
PSR-28447 (TE16-030)	16	—	300	600	40	40	85	C1	1(88.6), 2, 4, #
PSR-28455	6	—	3800	8000	50	50	70	C4	1(70), 2, 4, #
PSR-28462	6	—	3100	7000	50	50	70	C4	1(70), 2, 4, #
PSR-28468	6	—	3800	9000	50	50	70	C3	1(70), 2, 4, #
PSR-28469	6	—	2700	6300	50	50	70	C3	1(70), 2, 3, 4, #
PSR-28471	6	—	4000	8000	50	50	70	C4	1(110), 2, 4, #
PSR-28475	6	—	3500	8100	50	50	70	C4	1(100), 3, 4, #
PSR-28482	6	—	3800	9000	50	50	70	C3	1(120), 2, 4, #
PSR-28494	24	—	200	420	100	100	85	C4	1(125), 2, 4, #
PSR-28495	6	—	5000	10000	50	50	70	C3	1(70), 2, 4, #
PSR-28498	6	—	750	1500	100	100	85	C4	1(125), 2, 3, 4, #
PSR-28502	6	—	5000	9200	50	50	70	C4	1(90), 2, 4, #
PSR-28506	6	—	3500	7000	50	50	70	C4	1(70), 2, 3, 4, #
PSR-28507	6	—	2700	6200	50	50	70	C4	1(103), 2, 4, #
PSR-28521 (TE16-200)	16	—	2000	4000	40	40	85	C1	1(107.1), 2, 4, #
PSR-28547	5	—	5000	10000	50	50	70	C3	1(90), 2, 4, #
PSR-28548	5	—	5500	11000	50	50	70	C3	1(90), 2, 4, #
PSR-28542	6	—	5000	10000	50	50	70	C3	1(70), 2, 4, #
PSR-28558	6	—	7000	14000	50	50	70	C1	1(110), 2, 4, #
PSR-28561	6	—	3700	9000	50	50	70	C2	1(104), 2, 4, #
PSR-28594	6	—	1000	3700	50	50	70	C4	1(76), 2, 3, 4, #
PSR-28595	6	—	1200	4000	50	50	70	C4	1(72), 2, 3, 4, #
PSR-28625	6	—	3700	10500	50	50	70	C2	1(50), 2, 4, #
PSR-28823	6 V dc	—	3700	10500	50	50	70	C4	1(104.4), 2, 4, #
PSR-28633	6	—	1900	4900	50	50	70	C4	1(112), 2, 4, #

PSR-28663	6 V dc	6 V dc	4500	10500	50	50	85	C3	1(112.1), 2, 4, #
MGPR450ZKD	6 V dc	6 V dc	4500	11500	50	50	85	C4	1(102.8), 2, 4, #
PSR-28799	6 V dc	6 V dc	4500	10500	50	50	85	C3	1(112.1), 2, 4, #
PSR-28875	6 V dc	6 V dc	3100	10000	30	30	85	C4	1(102.7), 2, 4, #
PSR-28893	6 V dc	6 V dc	3500	10500	30	30	85	C4	1(99.8), 2, 4, #
PSR-28894	6 V dc	6 V dc	3700	10500	30	30	85	C4	1(99.8), 2, 4, #
PSR-28895	6 V dc	6 V dc	4000	12000	30	30	85	C4	1(99.8), 2, 4, #
PSR-28876	6 V dc	6 V dc	4200	12000	30	30	85	C4	1(99.8), 2, 4, #
MGPR420ZKAI	6 V dc	6 V dc	4200	12000	30	30	85	C4	1(99.8), 2, 4, #
PSR-28891	6 V dc	6 V dc	3100	8000	25	25	85	C4	1(94.9), 2, 4, #
MGPP270	6 V dc	6 V dc	2700	9500	25	25	85	C3	1(98.7), 2, 4, #
MGPP310	6 V dc	6 V dc	3100	10000	30	30	85	C4	1(99.8), 2, 4, #
MGPP350	6 V dc	6 V dc	3500	10500	30	30	85	C4	1(99.8), 2, 4, #
MGPP370	6 V dc	6 V dc	3700	10500	30	30	85	C4	1(99.8), 2, 4, #
MGPP400	6 V dc	6 V dc	4000	12000	30	30	85	C4	1(99.8), 2, 4, #
MGPP420	6 V dc	6 V dc	4200	12000	30	30	85	C4	1(99.8), 2, 4, #
PSR-28669	6 V dc	6 V dc	3700	10500	25	25	85	C4	1(99.8), 2, 4, #
PSR-28625P	6 V dc	6 V dc	3700	10500	25	25	85	C4	1(101.5), 2, 4, #
RFR240	13.2	—	1000	—	40	40	85	C1	1(125), 2, 4, #
RFR436	13.2	—	500	—	40	40	85	C1	1(125), 2, 4, #
RFR912	13.2	—	250	—	40	40	85	C1	1(125), 2, 4, #
RFS	5	—	1000	3000	125	125	85	C1	1(125), 2, 3, 4, #
RFS	12	—	1000	3000	60	60	85	C1	1(125), 2, 3, 4, #
RFS	15	—	1000	3000	40	40	85	C1	1(125), 2, 3, 4, #
RGE250(G250), RGEF250(GF250 or G2.5)	16	—	2500	4700	100	100	85	C1	1(125), 2, 4, #
RGE300 (G300), RGEF300 (GF300 or G3)	16	—	3000	5100	100	100	85	C1	1(125), 2, 4, #
RGE400 (G400), RGEF400 (GF400 or G4)	16	—	4000	6800	100	100	85	C1	1(125), 2, 4, #

RGE500 (G500), RGEF500 (GF500 or G5)	16	—	5000	8500	100	100	85	C1	1(125), 2, 4, #
RGE600 (G600), RGEF600 (GF600 or G6)	16	—	6000	10200	100	100	85	C1	1(125), 2, 4, #
RGE700 (G700), RGEF700 (GF700 or G7)	16	—	7000	11900	100	100	85	C1	1(125), 2, 4, #
RGE800 (G800), RGEF800 (GF800 or G8)	16	—	8000	13600	100	100	85	C1	1(125), 2, 4, #
RGE900 (G900), RGEF900 (GF900 or G9)	16	—	9000	15300	100	100	85	C1	1(125), 2, 4, #
RGE1000 (G1000), RGEF1000 (GF1000 or G10)	16	—	10000	17000	100	100	85	C1	1(125), 2, 4, #
RGE1100 (G1100), RGEF1100 (GF1100 or G11)	16	—	11000	18700	100	100	85	C1	1(125), 2, 4, #
RGE1200 (G1200), RGEF1200 (GF1200 or G12)	16	—	12000	20400	100	100	85	C1	1(125), 2, 4, #
RGE1400 (G1400), RGEF1400 (GF1400 or G14)	16	—	14000	23800	100	100	85	C1	1(125), 2, 4, #
RHE050, RHEF050(HF0.5 or H0.5)	30	—	500	900	40	40	125	C1	1(125), 2, 3, 4, #
RHE070, RHEF070(HF0.7 or H0.7)	30	—	700	1400	40	40	125	C1	1(125), 2, 3, 4, #
RHE100, RHEF100(HF0.1.0 or H1.0)	30	—	10000	1800	40	40	125	C1	1(125), 2, 3, 4, #
RHE200, RHEF200 (HF2.0 or H2.0)	16	—	2000	3800	100	100	125	C1	1(125), 2, 4, #
RHE400, RHEF400(HF4 or H4)	16	—	4000	7500	100	100	125	C1	1(125), 2, 4, #
RHE450, RHEF450 (HF4.5 or H4.5)	16	—	4500	7800	100	100	125	C1	1(125), 2, 4, #
RHE600, RHEF600 (HF6 or H6)	16	—	6000	10800	100	100	125	C1	1(125), 2, 4, #
RHE650, RHEF650 (HF6.5 or H6.5)	16	—	6500	12000	100	100	125	C1	1(125), 2, 4, #
RHE750, RHEF750 (HF7.5 or H7.5)	16	—	7500	13100	100	100	125	C1	1(125), 2, 4, #
RHE900, RHEF900(HF9.0 or H9)	16	—	9000	16500	100	100	125	C1	1(125), 2, 4, #
RHE1000, RHEF1000 (HF10 or H10)	16	—	10000	18500	100	100	125	C1	1(125), 2, 4, #
RHE1300, RHEF1300 (HF13 or H13)	16	—	13000	24000	100	100	125	C1	1(125), 2, 4, #
RHE1500, RHEF1500(HF15 or H15)	16	—	15000	28000	100	100	125	C1	1(125), 2, 4, #
RHEF300 (HF3 or H3)	16	—	3000	6000	100	100	125	C2	1(125), 2, 4, #
RHEF410 (HF4.1 or H4.1)	16	—	4100	8000	100	100	125	C1	1(125), 2, 4, #
RHEF550 (HF5.5 or H5.5)	16	—	5500	10000	100	100	125	C1	1(125), 2, 4, #
RHEF700 (HF7 or H7)	16	—	7000	13000	100	100	125	C1	1(125), 2, 4, #
RHEF800 (HF8 or H8)	16	—	8000	15000	100	100	125	C1	1(125), 2, 4, #
RHEF1100 (HF11 or H11)	16	—	11000	20000	100	100	125	C1	1(125), 2, 4, #

									#
RHEF1400 (HF14 or H14)	16	—	14000	27000	100	100	125	C1	1(125), 2, 4, #
RKEF050 (KF050 or K50)	60	—	500	1000	40	40	85	C1	1(125), 2, 3, 4, #
RKEF065 (KF065 or K65)	60	—	650	1300	40	40	85	C1	1(125), 2, 3, 4, #
RKEF075 (KF075 or K75)	60	—	750	1500	40	40	85	C1	1(125), 2, 3, 4, #
RKEF090 (KF090 or K90)	60	—	900	1800	40	40	85	C1	1(125), 2, 3, 4, #
RKEF110 (KF110 or K110)	60	—	1100	2200	40	40	85	C1	1(125), 2, 3, 4, #
RKEF135 (KF135 or K135)	60	—	1350	2700	40	40	85	C1	1(125), 2, 3, 4, #
RKEF160 (KF160 or K160)	60	—	1600	3200	40	40	85	C1	1(125), 2, 4, #
RKEF185 (KF185 or K185)	60	—	1850	3700	40	40	85	C1	1(125), 2, 4, #
RKEF250 (KF250 or K250)	60	—	2500	5000	40	40	85	C1	1(125), 2, 4, #
RKEF300 (KF300 or K300)	60	—	3000	6000	40	40	85	C1	1(125), 2, 4, #
RKEF375 (KF375 or K375)	60	—	3750	7500	40	40	85	C1	1(125), 2, 4, #
RKEF400 (KF400 or K400)	60	—	4000	8000	40	40	85	C1	1(125), 2, 4, #
RKEF500 (KF500 or K500)	60	—	5000	10000	40	40	85	C1	1(125), 2, 4, #
RTCOT70I100	6	—	1500	3000	100	100	65	C3	1(100), 2, 3, 4, #
RTE120, RTEF120 (TF120 or T120)	30	—	1200	2300	40	40	85	C1	1(125), 2, 3, 4, #
RTE135, RTEF135 (TF135 or T135)	30	—	1350	2500	40	40	85	C1	1(125), 2, 3, 4, #
RTE190, RTEF190 (TF190 or T190)	30	—	1900	3000	40	40	85	C1	1(125), 2, 4, #
RUE090, RUEF090 (UF090 or U090)	30 V ac/30 V dc	—	900	1800	70 Aac/100 Adc	70 Aac/100 Adc	85	C1	1(125), 2, 3, 4, #
RUE110, RUEF110 (UF110 or U110)	30 V ac/30 V dc	—	1100	2200	70 Aac/100 Adc	70 Aac/100 Adc	85	C1	1(125), 2, 3, 4, #
RUE135, RUEF135 (UF135 or U135)	30 V ac/30 V dc	—	1350	2700	70 Aac/100 Adc	70 Aac/100 Adc	85	C1	1(125), 2, 3, 4, #
RUE160, RUEF160 (UF160 or U160)	30 V ac/30 V dc	—	1600	3200	70 Aac/100 Adc	70 Aac/100 Adc	85	C1	1(125), 2, 4, #
RUE185, RUEF185 (UF185 or U185)	30 V ac/30 V dc	—	1850	3700	70 Aac/100 Adc	70 Aac/100 Adc	85	C1	1(125), 2, 4, #
RUE250, RUEF250 (UF250 or U250)	30 V ac/30 V dc	—	2500	5000	70 Aac/100 Adc	70 Aac/100 Adc	85	C1	1(125), 2, 4, #
RUEF250J (UF250J or U250J)	30Vdc	—	2500	5000	100	100	85	C1	1(110.2), 2, 4, #

RUE250U	30	—	2500	4900	40	40	85	C1	1(125), 2, 3, 4, #
RUE300, RUEF300 (UF300 or U300)	30 V ac/30 V dc	—	3000	6000	70 Aac/100 Adc	70 Aac/100 Adc	85	C1	1(125), 2, 4, #
RUE400 (0), RUEF400 (UF400 or U40)	30 V ac/30 V dc	—	4000	8000	70 Aac/100 Adc	70 Aac/100 Adc	85	C1	1(125), 2, 4, #
RUE500, RUEF500 (UF500 or U500)	30 V ac/30 V dc	—	5000	10000	70 Aac/100 Adc	70 Aac/100 Adc	85	C1	1(125), 2, 4, #
RUE600, RUEF600 (UF600 or U600)	30 V ac/30 V dc	—	6000	12000	70 Aac/100 Adc	70 Aac/100 Adc	85	C1	1(125), 2, 4, #
RUE700, RUEF700 (UF700 or U700)	30 V ac/30 V dc	—	7000	14000	70 Aac/100 Adc	70 Aac/100 Adc	85	C1	1(125), 2, 4, #
RUE800, RUEF800 (UF800 or U800)	30 V ac/30 V dc	—	8000	16000	70 Aac/100 Adc	70 Aac/100 Adc	85	C1	1(125), 2, 4, #
RUE900, RUEF900 (UF900 or U900)	30 V ac/30 V dc	—	9000	18000	70 Aac/100 Adc	70 Aac/100 Adc	85	C1	1(125), 2, 4, #
RUEF250U	30	—	2500	4900	100	100	85	C1	1(125), 2, 3, 4, #
RUEF300U	30	—	3000	6000	100	100	85	C1	1(125), 2, 4, #
RUSB075, RUSBF075 (RF075 or R075)	6	—	750	1300	40	40	85	C1	1(125), 2, 3, 4, #
RUSB090, RUSBF090 (RF090 or R090)	16	—	900	1800	40	40	85	C1	1(125), 2, 3, 4, #
RUSB110, RUSBF110 (RF110 or R110)	16	—	1100	2200	40	40	85	C1	1(125), 2, 3, 4, #
RUSB120, RUSBF120 (RF120 or R120)	6	—	1200	2000	40	40	85	C1	1(125), 2, 3, 4, #
RUSB135, RUSBF135 (RF135 or R135)	16	—	1350	2700	40	40	85	C1	1(125), 2, 3, 4, #
RUSB155, RUSBF155 (RF155 or R155)	6	—	1550	2650	40	40	85	C1	1(125), 2, 3, 4, #
RUSB160, RUSBF160 (RF160 or R160)	16	—	1600	3200	40	40	85	C1	1(125), 2, 4, #
RUSB185, RUSBF185 (RF185 or R185)	16	—	1850	3700	40	40	85	C1	1(125), 2, 4, #
RUSB250, RUSBF250 (RF250 or R250)	16	—	2500	5000	40	40	85	C1	1(125), 2, 4, #
RXE005, RXEF005 (XF005 or X005)	60	—	50	100	40	40	85	C3	1(125), 2, 3, 4, #
RXE010, RXEF010 (XF010 or X10)	60	—	100	200	40	40	85	C1	1(125), 2, 3, 4, #
RXE017, RXEF017 (XF017 or X17)	60	—	170	340	40	40	85	C1	1(125), 2, 3, 4, #
RXE020, RXEF020 (XF020 or X20)	72 dc	—	200	400	40	40	85	C3	1(125), 2, 3, 4, #
	72 ac	—	200	400	40	40	85	C4	1(125), 2, 3, 4, #
RXE025, RXEF025 (XF025 or X25)	72 dc	—	250	500	40	40	85	C3	1(125), 2, 3, 4, #

	72 ac	—	250	500	40	40	85	C4	1(125), 2, 3, 4, #
RXE030 (0), RXEF030 (XF030 or X30)	72 dc	—	300	600	40	40	85	C3	1(125), 2, 3, 4, #
	72 ac	—	300	600	40	40	85	C4	1(125), 2, 3, 4, #
RXE040, RXEF040 (XF040 or X40)	72 dc	—	400	800	40	40	85	C3	1(125), 2, 3, 4, #
	72 ac	—	400	800	40	40	85	C4	1(125), 2, 3, 4, #
RXE050, RXEF050 (XF050 or X50)	72 dc	—	500	1000	40	40	85	C3	1(125), 2, 3, 4, #
	72 ac	—	500	1000	40	40	85	C4	1(125), 2, 3, 4, #
RXE065, RXEF065 (XF065 or X65)	72 dc	—	650	1300	40	40	85	C3	1(125), 2, 3, 4, #
	72 ac	—	650	1300	40	40	85	C4	1(125), 2, 3, 4, #
RXE075, RXEF075 (XF075 or X75)	72 dc	—	750	1500	40	40	85	C3	1(125), 2, 3, 4, #
	72 ac	—	750	1500	40	40	85	C4	1(125), 2, 3, 4, #
RXE090, RXEF090 (XF090 or X90)	72 dc	—	900	1800	40	40	85	C2	1(125), 2, 3, 4, #
	72 ac	—	900	1800	40	40	85	C1	1(125), 2, 3, 4, #
RXE110, RXEF110 (XF110 or X110)	72 dc	—	1100	2200	40	40	85	C2	1(125), 2, 3, 4, #
	72 ac	—	1100	2200	40	40	85	C1	1(125), 2, 3, 4, #
RXE135, RXEF135 (XF135 or X135)	72 dc	—	1350	2700	40	40	85	C2	1(125), 2, 3, 4, #
	72 ac	—	1350	2700	40	40	85	C1	1(125), 2, 3, 4, #
RXE160, RXEF160 (XF160 or X160)	72 dc	—	1600	3200	40	40	85	C2	1(125), 2, 4, #
	72 ac	—	1600	3200	40	40	85	C1	1(125), 2, 4, #
RXE185, RXEF185 (XF185 or X185)	72 dc	—	1850	3700	40	40	85	C2	1(125), 2, 4, #
	72 ac	—	1850	3700	40	40	85	C1	1(125), 2, 4, #
RXE250, RXEF250 (XF250 or X250)	72 dc	—	2500	5000	40	40	85	C2	1(125), 2, 4, #
	72 ac	—	2500	5000	40	40	85	C1	1(125), 2, 4, #
RXE300, RXEF300 (XF300 or X300)	72 dc	—	3000	6000	40	40	85	C2	1(125), 2, 4, #
	72 ac	—	3000	6000	40	40	85	C1	1(125), 2, 4, #
RXE375, RXEF375 (XF375 or X375)	72 dc	—	3750	7500	40	40	85	C1	1(125), 2, 4, #
	72 ac	—	3750	7500	40	40	85	C1	1(125), 2, 4, #
SMD030 (030)	5	—	300	600	125	125	85	C1	1(125), 2, 3,

										4, #
SMD030 (030)	12	—	300	600	60	60	85	C1	1(125), 2, 3, 4, #	
SMD030 (030)	60	—	300	600	10	10	85	C1	1(125), 2, 3, 4, #	
SMD030-2018	60	—	300	600	20	20	85	C1	1(125), 2, 4, #	
SMD050 (050)	5	—	500	1000	125	125	85	C1	1(125), 2, 3, 4, #	
SMD050 (050)	12	—	500	1000	60	60	85	C1	1(125), 2, 3, 4, #	
SMD050 (050)	60	—	500	1000	10	10	85	C1	1(125), 2, 3, 4, #	
SMD050-2018(A05)	57	—	550	1100	20	20	85	C2	1(125), 2, 3, 4	
SMD075 (075)	5	—	750	1500	125	125	85	C1	1(125), 2, 3, 4, #	
SMD075 (075)	12	—	750	1500	60	60	85	C1	1(125), 2, 3, 4, #	
SMD075 (075)	30	—	750	1500	40	40	85	C1	1(125), 2, 3, 4, #	
SMD075/60	60	—	750	1500	10.0	10	85	C1	1(125), 2, 3, 4, #	
SMD075-1812 (B07)	13.2	—	750	1500	20	20	85	C1	1(125), 2, 3, 4, #	
SMD076/60(075F)	60	—	750	1500	10	10	85	C2	1(125), 2, 3, 4, #	
SMD100 (100)	5	—	1100	2200	125	125	85	C1	1(125), 2, 3, 4, #	
SMD100 (100)	12	—	1100	2200	60	60	85	C1	1(125), 2, 3, 4, #	
SMD100 (100)	30	—	1100	2200	40	40	85	C1	1(125), 2, 3, 4, #	
SMD100/33 (103)	5	—	1100	2200	125	125	85	C1	1(125), 2, 3, 4, #	
SMD100/33 (103)	12	—	1100	2200	60	60	85	C1	1(125), 2, 3, 4, #	
SMD100/33 (103)	33	—	1100	2200	40	40	85	C1	1(125), 2, 3, 4, #	
SMD100-2018 (A10)	5	—	1100	2200	125	125	85	C1	1(125), 2, 3, 4, #	
SMD100-2018 (A10)	12	—	1100	2200	60	60	85	C1	1(125), 2, 3, 4, #	
SMD100-2018 (A10)	15	—	1100	2200	40	40	85	C1	1(125), 2, 3, 4, #	
SMD125 (125)	5	—	1250	2500	125	125	85	C1	1(125), 2, 3, 4, #	
SMD125 (125)	12	—	1250	2500	60	60	85	C1	1(125), 2, 3, 4, #	
SMD125 (125)	15	—	1250	2500	40	40	85	C1	1(125), 2, 3, 4, #	
SMD150 (150)	5	—	1500	3000	125	125	85	C1	1(125), 2, 3, 4, #	
SMD150 (150)	12	—	1500	3000	60	60	85	C1	1(125), 2, 3, 4, #	

SMD150 (150)	15	—	1500	3000	40	40	85	C1	1(125), 2, 3, 4, #
SMD150/30 (150)	5	—	1500	3000	125	125	85	C1	1(125), 2, 3, 4, #
SMD150/30 (150)	12	—	1500	3000	60	60	85	C1	1(125), 2, 3, 4, #
SMD150/30 (150)	30	—	1500	3000	40	40	85	C1	1(125), 2, 3, 4, #
SMD150/33 (153)	5	—	1500	3000	125	125	85	C1	1(125), 2, 3, 4, #
SMD150/33 (153)	12	—	1500	3000	60	60	85	C1	1(125), 2, 3, 4, #
SMD150/33 (153)	33	—	1500	3000	40	40	85	C1	1(125), 2, 3, 4, #
SMD150F/33-2920	33	—	1500	3000	40	40	85	C3	1(125), 2, 3, 4, #
SMD150-2018 (A15)	5	—	1500	3000	125	125	85	C1	1(125), 2, 3, 4, #
SMD150-2018 (A15)	12	—	1500	3000	60	60	85	C1	1(125), 2, 3, 4, #
SMD150-2018 (A15)	15	—	1500	3000	40	40	85	C1	1(125), 2, 4, #
SMD185 (185)	33	—	1800	3600	40	40	85	C1	1(125), 2, 3, 4, #
SMD200 (200)	5	—	2000	4000	125	125	85	C1	1(125), 2, 4, #
SMD200 (200)	12	—	2000	4000	60	60	85	C1	1(125), 2, 4, #
SMD200 (200)	15	—	2000	4000	40	40	85	C1	1(125), 2, 4, #
SMD200-2018 (A20)	6	—	2000	4200	40	40	85	C1	1(125), 2, 3, 4, #
SMD200F/24-2920	24	—	2000	4000	40	40	85	C1	1(125), 2, 3, 4, #
SMD250 (250)	5	—	2500	5000	125	125	85	C1	1(125), 2, 4, #
SMD250 (250)	12	—	2500	5000	60	60	85	C1	1(125), 2, 4, #
SMD250 (250)	15	—	2500	5000	40	40	85	C1	1(125), 2, 4, #
SMD250F/15-2920	15	—	2500	5000	40	40	85	C1	1(125), 2, 4, #
SMD260 (260)	6	—	2600	5200	40	40	85	C1	1(125), 2, 4, #
SMD300 (300)	6	—	3000	6000	40	40	85	C1	1(125), 2, 4, #
SMD300F/15	15	—	3000	6000	40	40	85	C3	1(125), 2, 4, #
SMDC100F/60	60	—	1000	2000	10	10	85	C1	1(125), 2, 3, 4, #
SMDC125F/33	33	—	1250	2500	40	40	85	C1	1(125), 2, 3, 4, #
SMDC185F/33	33	—	1850	3600	40	40	85	C3	1(125), 2, 3, 4, #
SMDC200F/24	24	—	2000	4000	50	50	85	C1	1(125), 2, 4, #

									#
SMDC300F/24	24	—	3000	6000	40	40	85	C3	1(125), 2, 3, 4, #
SMDC310F/18	18	—	3100	6000	50	50	85	C1	1(125), 2, 4, #
SMDC700LR	6	—	7000	14000	50	50	70	C1	1(110), 2, 4, #
SMDH120	16	—	1200	2300	50	50	125	C1	1(125), 3, 4, #
SMDCH125F/24	24 V dc	—	1250	2500	50	50	125	C1	1(134.8), 2, 3, 4, #
SMDH160	16	—	1600	3200	70	70	125	C1	1(125), 4, #
SPK050	50	—	500	1200	20	20	85	C1	1(125), 2, 4, #
SPK070	50	—	700	1500	20	20	85	C1	1(125), 2, 4, #
SPK090	50	—	900	1900	20	20	85	C1	1(125), 2, 4, #
SPK110	50	—	1100	2200	20	20	85	C1	1(125), 2, 4, #
SPK130	50	—	1300	2800	20	20	85	C1	1(125), 2, 4, #
SPK150-0640	50	—	1500	2800	20	20	85	C1	1(125), 2, 4, #
SRP120 (120)	15	—	1200	2700	100	100	85	C1	1(125), 2, 4, #
SRP130 (130)	15	—	1300	2800	100	100	85	C1	1(125), 2, 4, #
SRP150 (150)	15	—	1500	3300	100	100	85	C1	1(125), 2, 4, #
SRP175 (175)	15	—	1750	3800	100	100	85	C1	1(125), 2, 4, #
SRP200 (200)	15	—	2000	4400	125	125	85	C1	1(125), 2, 4, #
SRP200 (200)	30	—	2000	4400	100	100	85	C1	1(125), 2, 4, #
SRP350 (350)	15	—	3500	6300	125	125	85	C1	1(125), 2, 4, #
SRP350 (350)	30	—	3500	6300	100	100	85	C1	1(125), 2, 4, #
SRP420 (420)	15	—	4200	7600	125	125	85	C1	1(125), 2, 4, #
SRP420 (420)	30	—	4200	7600	100	100	85	C1	1(125), 2, 4, #
TAC100-09	15	—	1000	2400	50	50	85	C1	1(125), 2, 4, #
TAC100-1212	15	—	1000	2400	50	50	85	C1	1(125), 2, 4, #
TAC170-0425	15	—	1700	3700	50	50	85	C1	1(125), 2, 4, #
TAC170-09	15	—	1700	3700	50	50	85	C1	1(125), 2, 4, #
TAC170-A09	15	—	1700	3700	50	50	85	C1	1(125), 2, 4, #

TAC210	15	—	2100	4700	50	50	85	C1	1(125), 2, 4, #
TC250-145	60	—	140	580	3	3	85	C1	1(125), 2, 4, #
TC250-180	60	—	180	640	10	10	85	C1	1(125), 2, 4, #
TCF250-145	60	—	145	290	3	3	85	C2	1(125), 2, 4, #
TCF250-180	60	—	180	650	3	3	85	C1	1(125), 2, 4, #
TCF250-180T	60	—	180	380	3	3	85	C1	1(125), 2, 4, #
TR250-080	60	—	80	240	3	3	85	C1	1(125), 2, 4, #
TR250-080U	60	—	80	240	3	3	85	C1	1(125), 2, 4, #
TR250-090	60	—	90	360	3	3	85	C1	1(125), 2, 4, #
TR250-110U	60	—	110	440	3	3	85	C1	1(125), 2, 4, #
TR250-120	60	—	120	480	3	3	85	C1	1(125), 2, 4, #
TR250-120U	60	—	120	480	3	3	85	C1	1(125), 2, 4, #
TR250-145	60	—	140	580	3	3	85	C1	1(125), 2, 4, #
TR250-145U	60	—	140	580	3	3	85	C1	1(125), 2, 4, #
TR250-180U	60	—	180	540	10	10	85	C1	1(125), 2, 4, #
TR600-150	60	—	150	600	3	3	85	C1	1(125), 2, 4, #
TR600-150Q	60	—	150	600	3	3	85	C1	1(125), 2, 4, #
TR600-160	250	—	160	640	3	3	85	C1	1(125), 2, 4, #
TR600-160Q	60	—	160	640	3	3	85	C1	1(125), 2, 4, #
TRF250-080T	60	—	80	160	3	3	85	C1	1(125), 2, 4, #
TRF250-080U	60	—	80	160	3	3	85	C1	1(125), 2, 4, #
TRF250-110U	60	—	110	220	3	3	85	C1	1(125), 2, 4, #
TRF250-120	60	—	120	240	3	3	85	C1	1(125), 2, 4, #
TRF250-120U	60	—	120	240	3	3	85	C1	1(125), 2, 4, #
TRF250-145	60	—	145	290	3	3	85	C1	1(125), 2, 4, #
TRF250-145U	60	—	145	290	3	3	85	C1	1(125), 2, 4, #
TRF250-180	100	—	180	640	10	10	85	C4	1(125), 2, 4, #
TRF250-183	100	—	183	685	10	10	85	C2	1(125), 2, 4, #

									#
TRF250-183U	100	—	183	685	10	10	85	C2	1(125), 2, 4, #
TRF250-184	100	—	184	650	3	3	85	C1	1(125), 2, 4, #
TRF600-150	250	—	150	300	3	3	85	C2	1(125), 2, 3, 4, #
TRF600-150-RC	250	—	150	300	3	3	85	C3	1(125), 2, 4, #
TRF600-160	250	—	160	640	3	3	85	C1	1(125), 2, 4, #
TRF600-250	250	—	250	850	3	3	85	C1	1(125), 2, 4, #
TRF600-400	60	—	400	1000	3	3	85	C4	1(125), 2, 4, #
TRH600-150	60	—	150	600	3	3	85	C1	1(125), 2, 4, #
TRH600-160	60	—	160	640	3	3	85	C1	1(125), 2, 4, #
TRW250-180	60	—	180	500	3	3	85	C1	1(125), 2, 4, #
TRW600-160	60	—	160	640	3	3	85	C1	1(125), 2, 4, #
TS250-130	60	—	130	260	3	3	85	C1	1(125), 2, 4, #
TS600-170	60	—	170	680	3	3	85	C1	1(125), 2, 4, #
TS600-200	60	—	200	800	3	3	85	C1	1(125), 2, 4, #
TS600-400F	250 V	—	400	1000	3	3	85	C4	1(125), 2, 4, #
TSL250-080	60	—	800	240	3	3	85	C3	1(125), 2, 4, #
TSM600-150	250 V	—	150	600	3	3	85	C2	1(125), 2, 3, 4, #
TSM600-250	250 V	—	250	1000	3	3	85	C2	1(125), 2, 4, #
TSM600-400	250 V	—	400	1000	3	3	85	C4	1(125), 2, 4, #
TSU600-180	60	—	180	360	3	3	85	C3	1(125), 2, 4, #
TSV250-130	60	—	130	325	3	3	85	C1	1(125), 2, 4, #
TSV250-184F	100	—	184	690	10	3	85	C4	1(125), 2, 4, #
VLP120	16	—	1200	3600	60	60	85	C4	1(125), 2, 3, 4, #
VLP175	16	—	1750	3900	60	60	85	C4	1(125), 2, 3, 4, #
VLP190	16	—	1900	4700	60	60	85	C4	1(125), 2, 3, 4, #
VLP200UW-C48F	16	—	2000	4700	60	60	85	C4	1(125), 2, 3, 4, #
VLP210(W21)	16	—	2100	5000	60	60	85	C4	1(125), 2, 4, #

VLP220(W22)	16	—	2200	5300	60	60	85	C4	1(125), 2, 3, 4, #
VLP220N-C30F(W22)	16	—	2200	5300	60	60	85	C4	1(125), 2, 3, 4, #
VLP220N-C30IIF	16	—	2200	5300	60	60	85	C4	1(125), 2, 3, 4, #
VLP220UW-C24F	16	—	2200	5300	60	60	85	C3	1(125), 2, 3, 4, #
VLP270(W27)	16	—	2700	6500	60	60	85	C2	1(125), 2, 4, #
VLPW280	16	—	2800	7600	60	60	85	C4	1(105), 2, 4, #
VLR110	12	—	1100	2900	100	100	85	C4	1(125), 2, 3, 4, #
VLR150	12	—	1500	4300	100	100	85	C4	1(125), 2, 3, 4, #
VLR170 (R17)	12	—	1700	4100	83	100	85	C4	1(125), 2, 3, 4, #
VLR170U-C30F	12	—	1700	4100	100	100	85	C4	1(125), 2, 4, #
VLR170ULL-C30F	12	—	1700	4200	100	100	85	C4	1(125), 2, 3, 4, #
VLR175 (R17)	12	—	1750	4200	100	100	85	C1	1(125), 2, 3, 4, #
VLR230 (R23)	12	—	2300	5000	100	100	85	C3	1(125), 2, 4, #
VLR230SU-C69F	12	—	2300	5000	100	100	85	C3	1(125), 2, 4, #
VSM-A001	16	—	1750	3600	100	100	85	C3	1(104), 2, 4, #
VSM-A001	24	—	1750	3600	5	5	85	C3	1(110), 2, 4, #
VSM-N001	16	—	2200	5300	60	60	85	C3	1(125), 2, 4, #
VSM-N002	16	—	2200	5300	60	60	85	C3	1(125), 2, 4, #
VSM-N003	16	—	2200	5300	60	60	85	C3	1(125), 2, 4, #
VSM-N004	16	—	2200	5300	60	60	85	C3	1(125), 2, 4, #
VSM-N005	16	—	2000	4900	60	60	85	C3	1(125), 2, 3, 4, #
VSM-N006	16	—	2000	4900	60	60	85	C3	1(125), 2, 4, #
VTP110	16	—	1100	2700	100	100	85	C1	1(125), 2, 3, 4, #
VTP140	16	—	1400	3200	100	100	85	C2	1(125), 2, 3, 4, #
VTP145	16	—	1450	3100	100	100	85	C2	1(125), 2, 3, 4, #
VTP150	16	—	1500	3200	100	100	85	C3	1(125), 2, 3, 4, #
VTP160	16	—	1600	3300	100	100	85	C3	1(125), 2, 3, 4, #
VTP170 (V17)	16	—	1700	3400	100	100	85	C1	1(125), 2, 4, #

									#
VTP175 (V17)	16	—	1750	3600	100	100	85	C1	1(125), 2, 3, 4, #
VTP175LF-PSR25616 (V1x)	16	—	1750	3600	100	100	85	C1	1(125), 2, 4, #
VTP200F (V20)	16	—	2000	4700	100	100	85	C1	1(125), 2, 4, #
VTP200NI (V2N)	12	—	2000	4700	83	100	85	C3	1(125), 2, 4, #
VTP210 (V21)	16	—	2100	4700	100	100	85	C1	1(125), 2, 3, 4, #
VTP210-PSR24908(210)	16	—	2100	4800	100	100	85	C2	1(125), 2, 4
VTP210SLU-19.2/5.8	16	—	2100	4700	100	100	85	C1	1(125), 2, 4, #
VTP210U-C3.6x16.7F	16	—	2100	4800	83	100	85	C1	1(125), 2, 3, 4, #
VTP240 (V24)	16	—	2400	5900	100	100	85	C2	1(125), 2, 4, #
SMDC125F/33	33 V dc	33 V dc	1250	2500	40	40	85	C1	1(94), 2, 3, 4, &
nanoSMDC010F	60 V dc	60 V dc	100	250	10	10	85	C4	1(82), 2, 3, 4, &
microSMDC350LR-T	6 V dc	6 V dc	3500	7000	50	50	85	C4	1(102), 2, 4, &
picoSMDC200LR-T	6 V dc	6 V dc	2000	4000	50	50	85	C4	1(101.1), 2, 3, 4, &
picoSMDC260LR-T	6 V dc	6 V dc	2600	5200	50	50	85	C4	1(101.1), 2, 3, 4, &
microSMD200F	6 V dc	6 V dc	2000	4000	100	100	85	C1	1(105.9), 2, 3, 4, &
PSR-28762 (@)	6 V dc	6 V dc	1750	5000	50	50	85	C2	1(95), 2, 4, &
PSR-28763 (@)	6 V dc	6 V dc	2000	6000	50	50	85	C2	1(95), 2, 4, &
PSR-28764 (@)	6 V dc	6 V dc	2700	6300	50	50	85	C2	1(95), 2, 4, &
PSR-28765 (@)	6 V dc	6 V dc	3500	6300	50	50	85	C2	1(99.5), 2, 4, &
PSR-28762-A (@)	6 V dc	6 V dc	1750	5000	50	50	85	C2	1(95), 2, 4, #
PSR-28763-A (@)	6 V dc	6 V dc	2000	6000	50	50	85	C2	1(95), 2, 4, #
PSR-28764-A (@)	6 V dc	6 V dc	2700	6300	50	50	85	C2	1(95), 2, 4, #
PSR-28765-A (@)	6 V dc	6 V dc	3500	6300	50	50	85	C2	1(99.5), 2, 4, #
PSR-28762 (@)	10 V dc	10 V dc	1750	5000	30	30	85	C1	1(92.5), 2, 4, #
PSR-28763(@)	10 V dc	10 V dc	2000	6000	30	30	85	C1	1(92.5), 2, 4, #
PSR-28764 (@)	10 V dc	10 V dc	2700	6300	30	30	85	C1	1(92.5), 2, 4, #
PSR-28765 (@)	10 V dc	10 V dc	3500	6300	30	30	85	C1	1(94.7), 2, 4, #

RSD310	6 V dc	6 V dc	3100	11000	50	50	85	C3	1(106.0), 2, 4, #
RSD370	6 V dc	6 V dc	3700	12000	50	50	86	C4	1(108.2), 2, 4, #
RSD420	6 V dc	6 V dc	4200	13000	50	50	85	C4	1(108.2), 2, 4, #
RSD450	6 V dc	6 V dc	4500	14500	50	50	85	C4	1(108.2), 2, 4, #
RSD270-C2.4x3.2	6 V dc	6 V dc	2700	7500	50	50	85	C2	1(111.5), 2, 4, #
RSD310-C2.4x3.2	6 V dc	6 V dc	3100	8200	50	50	85	C2	1(111.5), 2, 4, #
RSD370-C2.4x3.2	6 V dc	6 V dc	3700	10400	50	50	85	C2	1(111.5), 2, 4, #
RSD420-C2.4x3.2	6 V dc	6 V dc	4200	13000	50	50	85	C2	1(106.5), 2, 4, #
RSD310BD	6 V dc	6 V dc	3100	8000	50	50	85	C2	1(103.7), 2, 4, #

Models TR600-XXX and TRF600-XXX have been tested to meet the requirements of the Overvoltage Test per Standard UL 497A.

The alphanumeric character(s) in parenthesis () following a model number is the individual part identification mark. Suffixes may be added to the model number to denote a different lead configuration, different lead length, different lead plating, different shipping packaging method, different resistance range, different resistance matching and/or Lead-free Solder.

(@) May be followed by a hyphen, and any alphanumeric character or blank, it is the individual part identification mark. Suffixes may be added to the model number to denote a different PCB shape profile, different shipping packaging method, different surface finish, different resistance range within its original R25 range. It doesn't have an effect on the product construction and electric characteristic.

& Indicates unique Condition of Acceptability



Marking: Company name or trademark legibly marked on individual parts or on the smallest shipping container.

Last Updated on 2016-09-14

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2016 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2016 UL LLC".