

## RoHS Lab Analysis Report and Certification

**Product Description:** ACS INTL SHOCK-SAFE 5X20MM FUSEHLDR  
**Product Number:** 03455LS4H

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

ICP ID	Raw Material Part Number	Raw Material Description	Applicable RoHS Exemption(s)
ICP-1748	3453LF1-1	FUSEHOLDER BODY	*
ICP-1748	3453LF1-3	BACK CAP	*
ICP-0635	875-522	BACK TERMINAL	
ICP-0637	875-526	SIDE TERMINAL	
ICP-0642	070126	WIRE STAINLESS STEEL	
ICP-0639	3455LS1-2	KNOB SCREW SLOT	*
ICP-0632	883-055	CONTACT CLIP	
ICP-0633	891-023	KNOB INSERT	
ICP-0521	903-097	HEXNUT	

Remarks: \* Contains Halogen > 900 PPM

**To view the third party RoHS validation report of these materials, see download procedure below.**

1. Open the FTP website on your windows explorer: [ftp://pubftp.littelfuse.com/ICP\\_Test\\_Reports/](ftp://pubftp.littelfuse.com/ICP_Test_Reports/)
2. Retrieve the username and password thru your corresponding Sales / FAE or email [envrequests@littelfuse.com](mailto:envrequests@littelfuse.com)
3. Find the corresponding ICP ID and download the corresponding ICP report.

**Issued by:**



Diana Jane D. Gabinete  
 Environmental Data Analyst



**Noted by:**

Arsenio M. Cesista, Jr.  
 Global EHS Manager

## RoHS Lab Analysis Report and Certification

**Product Description:** ACS INTL SHOCK-SAFE 3AG FUSEHLDR  
**Product Number:** 03453LS3H

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)


ICP ID	Raw Material Part Number	Raw Material Description	Applicable RoHS Exemption(s)
ICP-1748	3453LF1-1	FUSEHOLDER BODY	*
ICP-1748	3453LF1-3	BACK CAP	*
ICP-0635	875-522	BACK TERMINAL	
ICP-0637	875-526	SIDE TERMINAL	
ICP-0642	070126	WIRE STAINLESS STEEL	
ICP-0639	3453LS1-2	KNOB SCREW SLOT	*
ICP-0641	883-048	CONTACT CLIP	
ICP-0633	891-023	KNOB INSERT	
ICP-0521	903-097	HEXNUT	

Remarks: \* Contains Halogen > 900 PPM

**To view the third party RoHS validation report of these materials, see download procedure below.**

1. Open the FTP website on your windows explorer: [ftp://pubftp.littelfuse.com/ICP\\_Test\\_Reports/](ftp://pubftp.littelfuse.com/ICP_Test_Reports/)
2. Retrieve the username and password thru your corresponding Sales / FAE or email [envrequests@littelfuse.com](mailto:envrequests@littelfuse.com)
3. Find the corresponding ICP ID and download the corresponding ICP report.

**Issued by:**   
 Sharie Lyn S. Mantilla  
 Global EHS Engineer

  
**Noted by:** Arsenio M. Cesista, Jr.  
 Global EHS Manager

## RoHS Lab Analysis Report and Certification

**Product Description:** ACS INTL SHOCK-SAFE 3AG FUSEHLDR  
**Product Number:** 03453LS1H

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

ICP ID	Raw Material Part Number	Raw Material Description	Applicable RoHS Exemption(s)
ICP-1748	3453LF1-1	FUSEHOLDER BODY	*
ICP-1748	3453LF1-3	BACK CAP	*
ICP-0629	875-521	BACK TERMINAL	
ICP-0630	875-525	SIDE TERMINAL	
ICP-0642	070126	WIRE STAINLESS STEEL .030 DIA.	
ICP-0639	3453LS1-2	KNOB SCREW SLOT	*
ICP-0641	883-048	CONTACT CLIP	
ICP-0633	891-023	KNOB INSERT	
ICP-0521	903-097	HEXNUT	

Remarks: \* Contains Halogen > 900 PPM


**To view the third party RoHS validation report of these materials, see download procedure below.**

1. Open the FTP website on your windows explorer: [ftp://pubftp.littelfuse.com/ICP\\_Test\\_Reports/](ftp://pubftp.littelfuse.com/ICP_Test_Reports/)
2. Retrieve the username and password thru your corresponding Sales / FAE or email [envrequests@littelfuse.com](mailto:envrequests@littelfuse.com)
3. Find the corresponding ICP ID and download the corresponding ICP report.

**Issued by:**

  
Sharie Lyn S. Mantilla  
Global EHS Engineer

**Noted by:**

  
Arsenio M. Cesista, Jr.  
Global EHS Manager



Expertise Applied | Answers Delivered  
8755 W. Higgins Road  
Suite 500  
Chicago, IL 60631  
www.littelfuse.com

## RoHS Lab Analysis Report and Certification

**Product Description:** ACS INTL SHOCK-SAFE 5X20MM FUSEHLDR  
**Product Number:** 03455LF2H

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

ICP ID	Raw Material Part Number	Raw Material Description	Applicable RoHS Exemption(s)
ICP-1748	3453LF1-1	FUSEHOLDER BODY	*
ICP-1748	3453LF1-3	BACK CAP	*
ICP-0629	875-521	BACK TERMINAL	
ICP-0630	875-525	SIDE TERMINAL	
ICP-1748	3453LF1-2	FINGER KNOB	*
ICP-0632	883-055	5X20 CONT CLIP	
ICP-0633	891-023	KNOB INSERT	
ICP-0634	912-296	COMPRESS SPRING	
ICP-0521	903-097	HEXNUT	

Remarks: \* Contains Halogen > 900 PPM


**To view the third party RoHS validation report of these materials, see download procedure below.**

1. Open the FTP website on your windows explorer: [ftp://pubftp.littelfuse.com/ICP\\_Test\\_Reports/](ftp://pubftp.littelfuse.com/ICP_Test_Reports/)
2. Retrieve the username and password thru your corresponding Sales / FAE or email [envrequests@littelfuse.com](mailto:envrequests@littelfuse.com)
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by:

  
Sharie Lyn S. Mantilla  
Global EHS Engineer

Noted by:

  
Arsenio M. Cesista, Jr.  
Global EHS Manager



**Expertise Applied | Answers Delivered**  
 8755 W. Higgins Road  
 Suite 500  
 Chicago, IL 60631  
 www.littelfuse.com

## RoHS Lab Analysis Report and Certification

**Product Description:** ACS INTL SHOCK-SAFE 3AG FUSEHLDR  
**Product Number:** 03453LS8H

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)


ICP ID	Raw Material Part Number	Raw Material Description	Applicable RoHS Exemption(s)
ICP-1748	3453LF1-1	FUSEHOLDER BODY	*
ICP-1748	3453LF1-3	BACK CAP	*
ICP-1929	875-524	PLATED BACKTERM	
ICP-0638	875-528	SIDETERM PLATED	
ICP-0642	070126	WIRE STAINLESS STEEL .030 DIA.	
ICP-0639	3453LS1-2	KNOB SCREW SLOT	*
ICP-0641	883-048	CONTACT CLIP	
ICP-0633	891-023	KNOB INSERT	
ICP-0521	903-097	HEXNUT	

Remarks: \* Contains Halogen > 900 PPM

**To view the third party RoHS validation report of these materials, see download procedure below.**

1. Open the FTP website on your windows explorer: [ftp://pubftp.littelfuse.com/ICP\\_Test\\_Reports/](ftp://pubftp.littelfuse.com/ICP_Test_Reports/)
2. Retrieve the username and password thru your corresponding Sales / FAE or email [envrequests@littelfuse.com](mailto:envrequests@littelfuse.com)
3. Find the corresponding ICP ID and download the corresponding ICP report.

**Issued by:**   
 Sharie Lyn S. Mantilla  
 Global EHS Engineer

  
**Noted by:** Arsenio M. Cesista, Jr.  
 Global EHS Manager



**Expertise Applied | Answers Delivered**  
 8755 W. Higgins Road  
 Suite 500  
 Chicago, IL 60631  
 www.littelfuse.com

## RoHS Lab Analysis Report and Certification

**Product Description:** ACS INTL SHOCK-SAFE 3AG FUSEHLDR  
**Product Number:** 03453HS1H

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)


ICP ID	Raw Material Part Number	Raw Material Description	Applicable RoHS Exemption(s)
ICP-1748	3453HS1-1	HI PRO BODY	*
ICP-1748	3453LF1-3	BACK CAP	*
ICP-0629	875-521	BACK TERMINAL	
ICP-0630	875-525	SIDE TERMINAL	
ICP-0642	070126	WIRE STAINLESS STEEL .030 DIA.	
ICP-0639	3453LS1-2	KNOB SCREW SLOT	*
ICP-0641	883-048	CONTACT CLIP	
ICP-0633	891-023	KNOB INSERT	

Remarks: \* Contains Halogen > 900 PPM

**To view the third party RoHS validation report of these materials, see download procedure below.**

1. Open the FTP website on your windows explorer: [ftp://pubftp.littelfuse.com/ICP\\_Test\\_Reports/](ftp://pubftp.littelfuse.com/ICP_Test_Reports/)
2. Retrieve the username and password thru your corresponding Sales / FAE or email [envrequests@littelfuse.com](mailto:envrequests@littelfuse.com)
3. Find the corresponding ICP ID and download the corresponding ICP report.

**Issued by:**   
 Sharie Lyn S. Mantilla  
 Global EHS Engineer

  
**Noted by:** Arsenio M. Cesista, Jr.  
 Global EHS Manager



Expertise Applied | Answers Delivered  
 8755 W. Higgins Road  
 Suite 500  
 Chicago, IL 60631  
 www.littelfuse.com

## RoHS Lab Analysis Report and Certification

**Product Description:** ACS INTL SHOCK-SAFE 5X20MM FUSEHLDR  
**Product Number:** 03455HS2H

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)


ICP ID	Raw Material Part Number	Raw Material Description	Applicable RoHS Exemption(s)
ICP-1748	3453HS1-1	FUSEHOLDER BODY	*
ICP-1748	3453LF1-3	BACK CAP	*
ICP-0629	875-521	BACK TERMINAL	
ICP-0630	875-525	SIDE TERMINAL	
ICP-1748	3453LF1-2	FINGER KNOB	*
ICP-0632	883-055	5X20 CONT CLIP	
ICP-0633	891-023	KNOB INSERT	
ICP-0634	912-296	COMPRESS SPRING	
ICP-0521	903-097	HEXNUT	

Remarks: \* Contains Halogen > 900 PPM

**To view the third party RoHS validation report of these materials, see download procedure below.**

1. Open the FTP website on your windows explorer: [ftp://pubftp.littelfuse.com/ICP\\_Test\\_Reports/](ftp://pubftp.littelfuse.com/ICP_Test_Reports/)
2. Retrieve the username and password thru your corresponding Sales / FAE or email [envrequests@littelfuse.com](mailto:envrequests@littelfuse.com)
3. Find the corresponding ICP ID and download the corresponding ICP report.

**Issued by:**   
 JULIE-ANN B. DIMACULANGAN  
 Environmental Data Analyst

  
**Noted by:** Arsenio M. Cesista, Jr.  
 Global EHS Manager