

RoHS Lab Analysis Report and Certification

Product Description: FUSE 63V FA LEAD FREE SLIM 1206 1.75A
Product Number: 04661.75NR

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)


| ICP ID | Raw Material Part Number | Raw Material Description | Applicable RoHS Exemption(s) |
|----------|--------------------------|----------------------------|------------------------------|
| ICP-0213 | 039613 | CLADDED FR-4 PANEL NATURAL | * |
| ICP-0216 | 010114 | COPPER ANODE | |
| ICP-0214 | 010113 | HIGH PURITY TIN ANODE | |
| ICP-0215 | 010104 | NICKEL R ROUND ANODES | |
| ICP-0221 | 090363 | GREEN PHOTO-IMAGEABLE INK | * |
| ICP-0220 | 090317 | PHOTO IMAGABLE INK - WHITE | |

Remarks: * Contains Halogen > 900 PPM

To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by: 
DIANA JANE DE GUZMAN
Global EHS Analyst

Noted by: 
Arsenio M. Cesista, Jr.
Global EHS Manager



Expertise Applied | Answers Delivered
8755 W. Higgins Road
Suite 500
Chicago, IL 60631
www.littelfuse.com

RoHS Lab Analysis Report and Certification

Product Description: FUSE 125V FA LEAD FREE SLIM 1206 .250A
Product Number: 0466.250NR

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

| ICP ID | Raw Material Part Number | Raw Material Description | Applicable RoHS Exemption(s) |
|----------|--------------------------|----------------------------|------------------------------|
| ICP-1482 | 039611 | CLADDED FR-4 PANEL NATURAL | * |
| ICP-0214 | 010113 | HIGH PURITY TIN ANODE | |
| ICP-0216 | 010114 | COPPER ANODE | |
| ICP-0215 | 010104 | NICKEL R ROUND ANODES | |
| ICP-0221 | 090363 | GREEN PHOTO-IMAGEABLE INK | * |
| ICP-0220 | 090317 | PHOTO IMAGABLE INK - WHITE | |

Remarks: * Contains Halogen > 900 PPM

To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by:

Sharie Lyn S. Mantilla
Global EHS Engineer

Noted by:

Arsenio M. Cesista, Jr.
Global EHS Manager



Expertise Applied | Answers Delivered

8755 W. Higgins Road
Suite 500
Chicago, IL 60631
www.littelfuse.com

RoHS Lab Analysis Report and Certification

Product Description: FUSE 125V FA LEAD FREE SLIM 1206 .200A
Product Number: 0466.200NR

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)


| ICP ID | Raw Material Part Number | Raw Material Description | Applicable RoHS Exemption(s) |
|----------|--------------------------|---------------------------------------|------------------------------|
| ICP-1482 | 039611 | FR-4(PGB Non-HF) Copper Clad Lamina | * |
| ICP-0214 | 010113 | Silvery Metal Tin Anode | |
| ICP-0215 | 010104 | Silvery Metal Nickel Anode | |
| ICP-0216 | 010114 | Copper Metal Anode | |
| ICP-0220 | 090317 | Photoimageable Soldermask White Paste | |
| ICP-0221 | 090363 | Photoimageable Soldermask Green Paste | |

Remarks: * Contains Halogen > 900ppm

To view the third party RoHS validation report of these materials, see download procedure below

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.


Issued by: JORDANUFF H. CABILAN
Global EHS Engineer


Noted by: Arsenio M. Cesista Jr.
Global EHS Manager

RoHS Lab Analysis Report and Certification

Product Description: FUSE 63V FA LEAD FREE SLIM 1206 1A
Product Number: 0466001.NR

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

| ICP ID | Raw Material Part Number | Raw Material Description | Applicable RoHS Exemption(s) |
|----------|--------------------------|--|------------------------------|
| ICP-0213 | 039612 | CLADDED FR-4 PANEL(12X18X.021")NATURAL | * |
| ICP-0216 | 010114 | COPPER ANODE | |
| ICP-0214 | 010113 | HIGH PURITY TIN ANODE | |
| ICP-0215 | 010104 | NICKEL R ROUND ANODES | |
| ICP-0221 | 090363 | GREEN PHOTO-IMAGEABLE INK | * |
| ICP-0220 | 090317 | PHOTO IMAGABLE INK - WHITE | |

Remarks: * Contains Halogen > 900 PPM

To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by:



Sharie Lyn S. Mantilla
Global EHS Engineer

Noted by:



Arsenio M. Cesista, Jr.
Global EHS Manager



Expertise Applied | Answers Delivered

8755 W. Higgins Road
Suite 500
Chicago, IL 60631
www.littelfuse.com

RoHS Lab Analysis Report and Certification

Product Description: FUSE 63V FA LEAD FREE SLIM 1206 1.5A
Product Number: 046601.5NR

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

| ICP ID | Raw Material Part Number | Raw Material Description | Applicable RoHS Exemption(s) |
|----------|--------------------------|--|------------------------------|
| ICP-0213 | 039612 | CLADDED FR-4 PANEL(12X18X.021")NATURAL | * |
| ICP-0216 | 010114 | COPPER ANODE | |
| ICP-0214 | 010113 | HIGH PURITY TIN ANODE | |
| ICP-0215 | 010104 | NICKEL R ROUND ANODES | |
| ICP-0221 | 090363 | GREEN PHOTO-IMAGEABLE INK | * |
| ICP-0220 | 090317 | PHOTO IMAGABLE INK - WHITE | |

Remarks: * Contains Halogen > 900 PPM

To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by:

Sharie Lyn S. Mantilla
Global EHS Engineer

Noted by:

Arsenio M. Cesista, Jr.
Global EHS Manager



Expertise Applied | Answers Delivered

8755 W. Higgins Road
Suite 500
Chicago, IL 60631
www.littelfuse.com

RoHS Lab Analysis Report and Certification

Product Description: FUSE 63V FA LEAD FREE SLIM 1206 2A
Product Number: 0466002.NR

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)


| ICP ID | Raw Material Part Number | Raw Material Description | Applicable RoHS Exemption(s) |
|----------|--------------------------|---|------------------------------|
| ICP-0213 | 039613 | CLADDED FR-4 PANEL(12X18X.021")NATURAL | * |
| ICP-0216 | 010114 | COPPER ANODE | |
| ICP-0214 | 010113 | HIGH PURITY TIN ANODE | |
| ICP-0215 | 010104 | NICKEL R ROUND ANODES | |
| ICP-0221 | 090363 | GREEN PHOTO-IMAGEABLE INK | * |
| ICP-0220 | 090317 | PHOTO IMAGABLE INK - WHITE | |

Remarks: * Contains Halogen > 900ppm

To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by: 
JORDANUFF H. CABILAN
Global EHS Engineer

Noted by: 
Arsenio M. Cesista Jr.
Global EHS Manager

RoHS Lab Analysis Report and Certification

Product Description: FUSE 32V FA LEAD FREE SLIM 1206 5A
Product Number: 0466005.NR

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

| ICP ID | Raw Material Part Number | Raw Material Description | Applicable RoHS Exemption(s) |
|----------|--------------------------|--|------------------------------|
| ICP-0213 | 039613 | CLADDED FR-4 PANEL(12X18X.021")NATURAL | * |
| ICP-0216 | 010114 | COPPER ANODE | |
| ICP-0214 | 010113 | HIGH PURITY TIN ANODE | |
| ICP-0215 | 010104 | NICKEL R ROUND ANODES | |
| ICP-0221 | 090363 | GREEN PHOTO-IMAGEABLE INK | * |
| ICP-0220 | 090317 | PHOTO IMAGABLE INK - WHITE | |

Remarks: * Contains Halogen > 900 PPM

To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by:



Sharie Lyn S. Mantilla
Global EHS Engineer

Noted by:



Arsenio M. Cesista, Jr.
Global EHS Manager



Expertise Applied | Answers Delivered
8755 W. Higgins Road
Suite 500
Chicago, IL 60631
www.littelfuse.com

RoHS Lab Analysis Report and Certification

Product Description: FUSE 32V FA LEAD FREE SLIM 1206 4A
Product Number: 0466004.NR

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

| ICP ID | Raw Material Part Number | Raw Material Description | Applicable RoHS Exemption(s) |
|----------|--------------------------|----------------------------|------------------------------|
| ICP-0213 | 039613 | CLADDED FR-4 PANEL NATURAL | * |
| ICP-0216 | 010114 | COPPER ANODE | |
| ICP-0214 | 010113 | HIGH PURITY TIN ANODE | |
| ICP-0215 | 010104 | NICKEL R ROUND ANODES | |
| ICP-0221 | 090363 | GREEN PHOTO-IMAGEABLE INK | * |
| ICP-0220 | 090317 | PHOTO IMAGABLE INK - WHITE | |

Remarks: * Contains Halogen > 900 PPM

To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by:

Sharie Lyn S. Mantilla
Global EHS Engineer

Noted by:

Arsenio M. Cesista, Jr.
Global EHS Manager

RoHS Lab Analysis Report and Certification

Product Description: FUSE 32V FA LEAD FREE SLIM 1206 2.5A
Product Number: 046602.5NR

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

| ICP ID | Raw Material Part Number | Raw Material Description | Applicable RoHS Exemption(s) |
|----------|--------------------------|----------------------------|------------------------------|
| ICP-0213 | 039613 | CLADDED FR-4 PANEL NATURAL | * |
| ICP-0216 | 010114 | COPPER ANODE | |
| ICP-0214 | 010113 | HIGH PURITY TIN ANODE | |
| ICP-0215 | 010104 | NICKEL R ROUND ANODES | |
| ICP-0221 | 090363 | GREEN PHOTO-IMAGEABLE INK | * |
| ICP-0220 | 090317 | PHOTO IMAGABLE INK - WHITE | |

Remarks: * Contains Halogen > 900 PPM

To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by:



Sharie Lyn S. Mantilla
Global EHS Engineer

Noted by:



Arsenio M. Cesista, Jr.
Global EHS Manager