

RoHS Lab Analysis Report and Certification



Product Description: FUSE 63V FA HALOGEN FREE SLIM 1206 .750A
Product Number: 0466.750NRHF

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

ICP ID	Raw Material Part Number	Raw Material Description	Applicable RoHS Exemption(s)
ICP-1656	039162	HALOGEN FREE CLADDED FR-4 PANEL	
ICP-0216	010114	COPPER ANODE	
ICP-0214	010113	HIGH PURITY TIN ANODE	
ICP-0215	010104	NICKEL R ROUND ANODES	
ICP-1729	090613	LIQUID PHOTO IMAGEABLE INK (GREEN) EMP110 HD	
ICP-0223	090417	HALOGEN FREE PHOTO IMAGEABLE INK (WHITE)	


To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by:


Sharie Lyn S. Mantilla
Global EHS Engineer

Noted by:


Arsenio M. Cesista, Jr.
Global EHS Manager



Expertise Applied | Answers Delivered
 8755 W. Higgins Road
 Suite 500
 Chicago, IL 60631
 www.littelfuse.com

RoHS Lab Analysis Report and Certification

Product Description: FUSE 125V FA HALOGEN FREE SLIM1206 .200A
Product Number: 0466.200NRHF



This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)


ICP ID	Raw Material Part Number	Raw Material Description	Applicable RoHS Exemption(s)
ICP-1655	039161	Halogen Free FR-4 Copper Laminates	
ICP-0216	010114	Copper Metal Anode	
ICP-0214	010113	Silvery Metal Tin Anode	
ICP-0215	010104	Silvery Metal Nickel Anode	
ICP-0223	090417	Photoimageable Soldermask White (Peters) Paste	
ICP-0222	090418	Photoimageable Soldermask Green (Peters) Paste	

Remarks:

To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by: 
 JORDANUFF H. CABILAN
 Global EHS Engineer

Noted by: 
 Arsenio M. Cesista Jr.
 Global EHS Manager



Expertise Applied | Answers Delivered
 8755 W. Higgins Road
 Suite 500
 Chicago, IL 60631
 www.littelfuse.com

RoHS Lab Analysis Report and Certification



Product Description: FUSE 125V FA HALOGEN FREE SLIM1206 .375A
Product Number: 0466.375NRHF

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

ICP ID	Raw Material Part Number	Raw Material Description	Applicable RoHS Exemption(s)
ICP-1655	039161	HALOGEN FREE CLADDED FR-4 PANEL	
ICP-0214	010113	HIGH PURITY TIN ANODE	
ICP-0216	010114	COPPER ANODE	
ICP-0215	010104	NICKEL R ROUND ANODES	
ICP-1729	90613	LIQUID PHOTO IMAGEABLE INK (GREEN) EMP110 HD	
ICP-0223	090417	HALOGEN FREE PHOTO IMAGEABLE INK (WHITE)	


To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by:


 Sharie Lyn S. Mantilla
 Global EHS Engineer

Noted by:


 Arsenio M. Cesista, Jr.
 Global EHS Manager



Expertise Applied | Answers Delivered
 8755 W. Higgins Road
 Suite 500
 Chicago, IL 60631
 www.littelfuse.com

RoHS Lab Analysis Report and Certification



Product Description: FUSE 32V FA HALOGEN FREE SLIM 1206 5A
Product Number: 0466005.NRHF

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

ICP ID	Raw Material Part Number	Raw Material Description	Applicable RoHS Exemption(s)
ICP-1657	039163	HALOGEN FREE CLADDED FR-4 PANEL	
ICP-0216	010114	COPPER ANODE	
ICP-0214	010113	HIGH PURITY TIN ANODE	
ICP-0215	010104	NICKEL ROUND ANODES	
ICP-1729	090613	LIQUID PHOTO IMAGEABLE INK (GREEN) EMP110 HD	
ICP-0223	090417	HALOGEN FREE PHOTO IMAGEABLE INK (WHITE)	


To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by:


 Sharie Lyn S. Mantilla
 Global EHS Engineer

Noted by:


 Arsenio M. Cesista, Jr.
 Global EHS Manager



Expertise Applied | Answers Delivered
 8755 W. Higgins Road
 Suite 500
 Chicago, IL 60631
 www.littelfuse.com

RoHS Lab Analysis Report and Certification



Product Description: FUSE 63V FA HALOGEN FREE SLIM 1206 1.5 A
Product Number: 046601.5NRHF

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

ICP ID	Raw Material Part Number	Raw Material Description	Applicable RoHS Exemption(s)
ICP-1656	039162	HALOGEN FREE CLADDED FR-4 PANEL	
ICP-0216	010114	COPPER ANODE	
ICP-0214	010113	HIGH PURITY TIN ANODE	
ICP-0215	010104	NICKEL R ROUND ANODES	
ICP-1729	090613	LIQUID PHOTO IMAGEABLE INK (GREEN) EMP110 HD	
ICP-0223	090417	HALOGEN FREE PHOTO IMAGEABLE INK (WHITE)	


To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by:


 Sharie Lyn S. Mantilla
 Global EHS Engineer

Noted by:


 Arsenio M. Cesista, Jr.
 Global EHS Manager



Expertise Applied | Answers Delivered
 8755 W. Higgins Road
 Suite 500
 Chicago, IL 60631
 www.littelfuse.com

RoHS Lab Analysis Report and Certification



Product Description: FUSE 125V FA HALOGEN FREE SLIM1206 .125A
Product Number: 0466.125NRHF

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

ICP ID	Raw Material Part Number	Raw Material Description	Applicable RoHS Exemption(s)
ICP-1655	039161	HALOGEN FREE CLADDED FR-4 PANEL	
ICP-0214	010113	HIGH PURITY TIN ANODE	
ICP-0216	010114	COPPER ANODE	
ICP-0215	010104	NICKEL R ROUND ANODES	
ICP-1729	090613	LIQUID PHOTO IMAGEABLE INK (GREEN) EMP110 HD	
ICP-0223	090417	HALOGEN FREE PHOTO IMAGEABLE INK (WHITE)	


To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by:


 Sharie Lyn S. Mantilla
 Global EHS Engineer

Noted by:


 Arsenio M. Cesista, Jr.
 Global EHS Manager

RoHS Lab Analysis Report and Certification



Product Description: FUSE 32V FA HALOGEN FREE SLIM 1206 3A
Product Number: 0466003.NRHF

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

ICP ID	Raw Material Part Number	Raw Material Description	Applicable RoHS Exemption(s)
ICP-1657	039163	HALOGEN FREE CLADDED FR-4 PANEL	
ICP-0216	010114	COPPER ANODE	
ICP-0214	010113	HIGH PURITY TIN ANODE	
ICP-0215	010104	NICKEL R ROUND ANODES	
ICP-1729	090613	EMP110 HD	
ICP-0223	090417	HALOGEN FREE PHOTO IMAGEABLE INK (WHITE)	


To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by:


Sharie Lyn S. Mantilla
Global EHS Engineer

Noted by:


Arsenio M. Cesista, Jr.
Global EHS Manager



Expertise Applied | Answers Delivered
 8755 W. Higgins Road
 Suite 500
 Chicago, IL 60631
 www.littelfuse.com

RoHS Lab Analysis Report and Certification



Product Description: FUSE 63V FA HALOGEN FREE SLIM 1206 2A
Product Number: 0466002.NRHF

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

ICP ID	Raw Material Part Number	Raw Material Description	Applicable RoHS Exemption(s)
ICP-1657	039163	HALOGEN FREE CLADDED FR-4 PANEL	
ICP-0216	010114	COPPER ANODE	
ICP-0214	010113	HIGH PURITY TIN ANODE	
ICP-0215	010104	NICKEL R ROUND ANODES	
ICP-1729	090613	LIQUID PHOTO IMAGEABLE INK (GREEN) EMP110 HD	
ICP-0223	090417	HALOGEN FREE PHOTO IMAGEABLE INK (WHITE)	


To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by:


 Sharie Lyn S. Mantilla
 Global EHS Engineer

Noted by:


 Arsenio M. Cesista, Jr.
 Global EHS Manager



Expertise Applied | Answers Delivered
 8755 W. Higgins Road
 Suite 500
 Chicago, IL 60631
 www.littelfuse.com

RoHS Lab Analysis Report and Certification



Product Description: FUSE 63V FA HALOGEN FREE SLIM 1206 1A
Product Number: 0466001.NRHF

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

ICP ID	Raw Material Part Number	Raw Material Description	Applicable RoHS Exemption(s)
ICP-1656	039162	HALOGEN FREE CLADDED FR-4 PANEL	
ICP-0216	010114	COPPER ANODE	
ICP-0214	010113	HIGH PURITY TIN ANODE	
ICP-0215	010104	NICKEL R ROUND ANODES	
ICP-1729	090613	LIQUID PHOTO IMAGEABLE INK (GREEN) EMP110 HD	
ICP-0223	090417	HALOGEN FREE PHOTO IMAGEABLE INK (WHITE)	


To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by:


 Sharie Lyn S. Mantilla
 Global EHS Engineer

Noted by:


 Arsenio M. Cesista, Jr.
 Global EHS Manager



Expertise Applied | Answers Delivered
 8755 W. Higgins Road
 Suite 500
 Chicago, IL 60631
 www.littelfuse.com

RoHS Lab Analysis Report and Certification



Product Description: FUSE 32V FA HALOGEN FREE SLIM 1206 4A
Product Number: 0466004.NRHF

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

ICP ID	Raw Material Part Number	Raw Material Description	Applicable RoHS Exemption(s)
ICP-1657	039163	HALOGEN FREE CLADDED FR-4 PANEL	
ICP-0216	010114	COPPER ANODE	
ICP-0214	010113	HIGH PURITY TIN ANODE	
ICP-0215	010104	NICKEL R ROUND ANODES	
ICP-1729	090613	LIQUID PHOTO IMAGEABLE INK (GREEN) EMP110 HD	
ICP-0223	090417	HALOGEN FREE PHOTO IMAGEABLE INK (WHITE)	


To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by:


 Sharie Lyn S. Mantilla
 Global EHS Engineer

Noted by:


 Arsenio M. Cesista, Jr.
 Global EHS Manager



Expertise Applied | Answers Delivered
 8755 W. Higgins Road
 Suite 500
 Chicago, IL 60631
 www.littelfuse.com

RoHS Lab Analysis Report and Certification



Product Description: FUSE 32V FA HALOGEN FREE SLIM 1206 2.5A
Product Number: 046602.5NRHF

This document hereby certifies that the aforementioned product and all its associated materials, are in compliance with RoHS Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Furthermore, it is hereby reported that the aforementioned product is composed of the following materials wherein valid Eu RoHS exemptions may be indicated as applicable.

Table 1. Product material composition and applicable RoHS exemption(s)

ICP ID	Raw Material Part Number	Raw Material Description	Applicable RoHS Exemption(s)
ICP-1657	039163	HALOGEN FREE CLADDED FR-4 PANEL	
ICP-0216	010114	COPPER ANODE	
ICP-0214	010113	HIGH PURITY TIN ANODE	
ICP-0215	010104	NICKEL R ROUND ANODES	
ICP-1729	090613	LIQUID PHOTO IMAGEABLE INK (GREEN) EMP110 HD	
ICP-0223	090417	HALOGEN FREE PHOTO IMAGEABLE INK (WHITE)	


To view the third party RoHS validation report of these materials, see download procedure below.

1. Open the FTP website on your windows explorer: ftp://pubftp.littelfuse.com/ICP_Test_Reports/
2. Retrieve the username and password thru your corresponding Sales / FAE or email envrequests@littelfuse.com
3. Find the corresponding ICP ID and download the corresponding ICP report.

Issued by:


 Sharie Lyn S. Mantilla
 Global EHS Engineer

Noted by:


 Arsenio M. Cesista, Jr.
 Global EHS Manager